


**ANNUAL REPORT OF THE
HEALTH OFFICER
DISTRICT OF COLUMBIA**

FISCAL YEAR ENDED JUNE 30, 1926



DISTRICT OF COLUMBIA

ANNUAL REPORT OF THE HEALTH OFFICER

FOR FISCAL YEAR ENDED JUNE 30

1926



GOVERNMENT PRINTING OFFICE

WASHINGTON


1926

THE HISTORY OF THE

ROYAL SOCIETY OF LONDON

AND OF THE

ACADEMY OF SCIENCES




CONTENTS

	Page
Public health in the District of Columbia	1
Population	1
General birth rates and death rates	1
Births and stillbirths	2
Statistics of illness and deaths	3
General mortality	3
Infant mortality	3
Reportable diseases	4
Communicable diseases of animals	5
Administration	5
Bureau of preventable diseases	5
Smallpox hospital, quarantine station, and leper hospital	6
Ambulance service	7
Diphtheria	6
Scarlet fever	6
Typhoid fever	6
Isolation wards at Garfield Memorial and Providence Hospitals	7
Disinfecting service	7
Public crematorium	7
Bacteriological laboratory	7
Bathing pools	8
Serological laboratory	8
Chemical laboratory	8
Wells and water supplies	8
Milk and cream	8
Dispensaries	8
Report of sanitary officer	9
Medical and dental inspection of public schools	9
Bureau of food inspection	10
Dairy-farm inspection	11
Bureau of sanitary inspection	11
Smoke inspection	12
Eight-hour female labor law	12
Child Hygiene Service	12
Day Nurseries	14
Pound service	14
Bureau of administration	14
Bureau of vital statistics	14

APPENDIX

A. Vital-statistics tables	15
----------------------------------	----



REPORT OF HEALTH OFFICER

HEALTH DEPARTMENT,
Washington, August 30, 1926.

To COMMISSIONERS:

The following report of the work done by the health department during the fiscal year 1926 is respectfully submitted. It is regretted that, on account of the limited appropriation for the publishing of the annual report, it has again been found necessary to eliminate much important data, statistical and otherwise, relating to the public health in the District of Columbia.

PART I

PUBLIC HEALTH IN THE DISTRICT OF COLUMBIA DURING THE CALENDAR YEAR 1925

For statistical data relating to births, stillbirths, deaths, and cases of reportable diseases, reference must be made to the appendix of the report, as such data is not contained in the body of this report.

POPULATION

The population of the District of Columbia continues steadily and rapidly to increase. The estimate of the United States Bureau of the Census gives the total population as 497,906, of which 378,261 are white and 119,645 colored. The birth rates, stillbirth rates, death rates, and morbidity rates for the calendar year 1925 are based on this population.

GENERAL BIRTH RATES AND DEATH RATES

Data regarding population, births, stillbirths, and deaths recorded during the calendar year 1925, with similar data for previous years, will be found in the following table:

Population, births, stillbirths, and deaths in the District of Columbia, with corresponding rates during the calendar years 1901-1925, inclusive

Calendar year	Population	Births	Stillbirths	Deaths	Rate per 1,000		
					Births	Stillbirths	Deaths
1901-1905 ¹	311,325	5,409	570	6,042	17.38	1.83	19.41
1906-1910 ¹	336,940	6,900	577	6,304	20.48	1.71	18.71
1911-1915 ¹	353,443	7,028	478	6,188	19.88	1.35	17.50
1916-1920 ¹	413,270	8,025	484	7,120	19.41	1.17	17.23
1921	454,026	9,028	501	6,057	19.88	1.10	13.34
1922	454,026	9,121	495	6,305	20.10	1.10	13.89
1923	475,966	9,029	491	7,105	19.00	1.03	14.93
1924	486,936	9,357	481	6,553	19.22	.99	13.46
1925	497,906	9,173	499	7,016	18.42	1.00	14.09

¹Annual average for 5-year period.

Births.—In the following tables an analysis is given of the registered live births and stillbirths, according to race:

Nativity in the District of Columbia, by years and by race, during the calendar years 1906-1925, inclusive

Calendar years	Births and stillbirths registered				Rate per 1,000 of corresponding population		
	White	Colored	Unknown	Total	White	Colored	Total
1906-1910 ¹	4,832	2,583	62	7,427	20.10	26.07	22.02
1911-1915 ¹	4,962	2,483	61	7,506	19.05	25.03	21.0
1916-1920 ¹	5,956	2,502	51	8,509	19.03	23.06	20.6
1921.....	6,673	2,811	45	9,529	19.05	25.0	23.9
1922.....	6,732	2,830	54	9,616	19.7	25.2	21.2
1923.....	6,635	2,839	46	9,520	18.5	24.4	20.0
1924.....	6,754	3,037	47	9,838	18.3	25.7	20.2
1925.....	6,563	3,078	31	9,672	17.3	25.7	19.4

¹ Annual average for 5-year period.

Stillbirths in the District of Columbia, relative frequency of, with reference to race, during the calendar years 1906-1925, inclusive

Calendar year	Registered stillbirths				Rate per 1,000		
	White	Colored	Unknown	Total	White	Colored	Total
1906-1910 ¹	200	315	62	577	0.8	3.2	1.7
1911-1915 ¹	168	250	61	478	.7	2.5	1.3
1916-1920 ¹	210	223	51	484	.7	2.1	1.2
1921.....	225	231	45	501	.7	2.1	1.1
1922.....	232	209	54	495	.7	1.9	1.1
1923.....	222	223	46	491	.6	1.9	1.1
1924.....	227	207	47	481	.6	1.8	.9
1925.....	250	218	31	499	.7	1.8	1.0

¹ Annual average for 5-year period.

Percentage of stillbirths of each class named below computed upon basis of all live and still births, together for each class

Calendar year	By races			Social status	
	White	Colored	Total	Legitimate	Illegitimate
1906-1910 ¹	4.1	12.2	7.7	5.6	14.9
1911-1915 ¹	3.4	10.0	6.4	4.8	12.6
1916-1920 ¹	3.5	8.9	5.7	4.6	12.2
1921.....	3.4	8.2	5.3	4.3	11.1
1922.....	3.4	7.4	5.1	4.1	9.2
1923.....	3.3	7.8	5.1	4.4	8.3
1924.....	3.4	6.8	4.9	4.9	7.0
1925.....	3.8	7.1	4.9	4.2	5.5

¹ Average for 5-year period.

Stillbirths in the District of Columbia, relative frequency of, in home and hospital practice during the calendar year 1925

Place of birth	White			Colored			Total			Still births, unknown race
	Live births	Still births	Percentage of still to live and still births	Live births	Still births	Percentage of still to live and still births	Live births	Still births	Percentage of still to live and still births	
Institutions.....	4,355	186	4.1	1,233	149	10.8	5,588	335	5.7	-----
Homes.....	1,958	64	3.2	1,627	69	4.1	3,585	133	3.6	31
Total.....	6,313	250	3.8	2,860	218	7.1	9,173	468	4.9	31

Illegitimacy in the District of Columbia, prevalence of, by years and by race, during the calendar years 1906-1925, inclusive

Calendar year	Illegitimate births and stillbirths registered				Rates per 1,000 corresponding population			Percentage of all births and stillbirths reported as illegitimate		
	White	Colored	Unknown	Total	White	Colored	Total	White	Colored	Total
1906-1910 ¹	110	572	-----	682	0.5	5.9	2.0	2.3	22.1	9.2
1911-1915 ¹	111	541	67	719	.4	5.5	2.1	2.2	21.7	9.6
1916-1920 ¹	112	452	52	616	.4	4.3	1.5	1.9	18.1	7.2
1921.....	136	467	45	648	.4	4.2	1.4	2.0	16.6	6.8
1922.....	135	493	54	682	.4	4.4	1.5	2.0	17.4	7.1
1923.....	114	468	45	627	.3	4.0	1.3	1.7	16.3	6.1
1924.....	130	511	47	688	.4	4.3	1.4	1.9	16.8	7.0
1925.....	113	503	39	655	.3	4.2	1.3	1.7	16.3	6.8

¹ Annual average for 5-year period.

MORBIDITY AND MORTALITY STATISTICS

General mortality.—I regret to say that during the calendar year 1925 the number of deaths increased and the number of births decreased. The total number of deaths occurring in 1925 was 7,016, an increase of 463 over the preceding year; the total number of births was 9,173, or 184 less than the previous year. The general death rate increased from 13.46 in the year 1924 to 14.09 in the year just closed; the general birth rate, on the other hand, fell from 19.22 in the year 1924 to 18.42 in the last year. Of the 7,016 deaths occurring during the year, 4,302 were white and 2,714 colored. The white death rate increased from 11.22 in the year 1924 to 11.37 in the year just closed and the colored from 20.44 to 22.68. The figures show that the increased number of deaths was due principally to diseases of the heart. The number of persons dying from tuberculosis or pneumonia were, however, reduced. Organic heart disease with 1,153 deaths, nephritis 555, pneumonia 640, tuberculosis 548, apoplexy 493, and diarrhea with 214, constituted the most potent causes of death during the year.

INFANT MORTALITY

The death rate among infants under 1 year of age also increased from 75.7 in 1924 to 87.3 in the year just closed, the white rate being 67.5 and the colored 131.1 in 1925, as against 61.1 and 109.2,

respectively, in 1924. The principal increase it will be observed occurred among the colored population.

Racial population, deaths, and death rates in the District of Columbia, by calendar years, from 1901 to 1925, inclusive

Years	Population		Deaths		Death rates	
	White	Colored	White	Colored	White	Colored
1901-1905 ¹	217,605	93,719	3,395	2,647	15.60	28.20
1906-1910 ¹	240,244	96,696	3,626	2,678	15.09	27.69
1911-1915 ¹	255,162	98,281	3,665	2,523	14.35	25.67
1916-1920 ¹	307,076	106,194	4,512	2,608	14.76	24.70
1921	341,662	112,364	3,978	2,079	11.64	18.50
1922	341,662	112,364	4,043	2,262	11.83	20.13
1923	359,569	116,397	4,449	2,656	12.37	22.82
1924	368,915	118,021	4,140	2,413	11.22	20.44
1925	378,261	119,645	4,302	2,714	11.37	22.68

¹ Annual average 5-year period.

REPORTABLE DISEASES

Data showing to what extent contagious diseases existed in the District of Columbia during the calendar year 1925 will be found in the following tables:

Reportable diseases in the District of Columbia—Cases and case rates during the calendar years 1923, 1924, and 1925

Diseases	Cases			Case rate per 100,000		
	1923	1924	1925	1923	1924	1925
Anterior poliomyelitis	19	23	22	4.2	4.7	4.4
Chicken pox	1,261	1,625	776	277.7	333.7	155.9
Diphtheria	565	398	685	124.4	81.7	137.6
Epidemic cerebrospinal meningitis	8	2	4	1.8	.4	.8
Measles	7,610	425	794	1,676.1	87.3	159.5
Pellagra	—	1	3	—	.2	.4
Scarlet fever	998	1,260	1,011	219.8	258.8	203.1
Smallpox	68	147	59	15.0	30.2	11.8
Tuberculosis (communicable)	1,297	1,326	1,238	285.7	272.3	248.6
Typhoid fever	113	133	126	24.9	27.3	25.3
Whooping cough	1,391	487	745	306.4	100.0	149.6

Reportable diseases in the District of Columbia—Deaths, percentage of fatalities, and death rates during the calendar years 1923, 1924, and 1925

Disease	Deaths			Percentage of deaths to cases			Death rate per 100,000		
	1923	1924	1925	1923	1924	1925	1923	1924	1925
Anterior poliomyelitis	1	1	4	5.3	4.3	18.2	0.2	0.2	0.8
Chicken pox	—	0	0	—	.0	.0	—	.0	.0
Diphtheria	42	30	37	7.4	7.5	5.4	9.3	6.2	7.4
Epidemic cerebrospinal meningitis	6	0	1	62.5	.0	25.0	1.3	.0	.2
Measles	34	3	4	.4	.7	.5	7.5	.6	.8
Pellagra	—	1	2	—	100.0	66.6	—	.2	.4
Scarlet fever	11	8	5	1.1	.6	.5	2.4	1.6	1.0
Smallpox	—	0	20	—	.0	33.9	—	.0	4.0
Tuberculosis (communicable)	547	507	548	42.2	38.3	44.3	—	104.1	110.1
Typhoid fever	27	19	25	23.9	14.3	19.8	6.0	3.9	5.0
Whooping cough	34	13	21	2.4	2.7	2.8	7.5	2.6	4.2

COMMUNICABLE DISEASES OF ANIMALS

Rabies.—Rabies continues on the increase in the District, as will be seen from the following table, which shows the extent to which the disease prevailed during the years 1924 and 1925.

Rabies in the District of Columbia during the calendar year 1925, together with corresponding data for the preceding year

	Calendar year	
	1924	1925
Dogs reported to the health department as rabid or suspected of being rabid.....	67	102
Other animals reported as rabid or suspected of being rabid.....	7	5
Instances in which diagnosis of rabies was confirmed by post-mortem findings of the Bureau of Animal Industry.....	20	91
Persons bitten by dogs, cats or other animals, rabid or suspected of being rabid.....	33	71
Domestic animals bitten by dogs, rabid or suspected of being rabid.....	13	89
Persons bitten by dogs, cats or other animals known to be rabid as shown by post-mortem findings of the Bureau of Animal Industry.....	22	67

Sixty-seven persons were bitten by dogs, cats or other animals known to be rabid as shown by post-mortem findings. In all these cases the persons bitten were at once advised to consult their family physician with a view to taking the Pasteur treatment.

On June 19, 1925, the commissioners, as has been the custom for some years past, issued a proclamation requiring the muzzling of all dogs running at large. This order became effective July 1, 1925, and continued for a period of three months.

PART II

ADMINISTRATION

BUREAU OF PREVENTABLE DISEASES

The following table shows the amount and character of the work done in the contagious disease service during the fiscal year 1926:

Reportable diseases in the District of Columbia—Cases reported during the fiscal year 1925-26

Diseases	Fiscal year	
	1925	1926
Anterior poliomyelitis.....	20	21
Chicken pox.....	826	1,000
Diphtheria.....	547	807
Epidemic cerebrospinal meningitis.....	5	4
Leprosy.....	1	0
Measles.....	760	6,764
Pellagra.....	0	7
Scarlet fever.....	1,058	983
Smallpox.....	65	14
Tuberculosis.....	1,383	1,157
Typhoid fever.....	171	81
Whooping cough.....	548	1,084
Influenza.....	55	176
Total.....	5,438	12,098

Diphtheria.—During the calendar year 1925 there was a total of 685 cases of diphtheria reported, or 287 more cases than in the preceding year. While the number of cases increased, the death rate decreased. The death rate for diphtheria in 1924 was 6.2 per cent, while last year it was 5.4 per cent. Attention is called to the fact that in recording cases of diphtheria "carriers" are included with the "clinical" cases.

During the year 2,555 children were given the "Schick" test. Of this number 1,902 were done in the public schools, 326 at the "child welfare centers," and 327 in orphanages. Of the 2,555 "Schicked," 2,044 reacted positively and all but a few of these were given immunizing injections.

Scarlet fever.—Scarlet fever continued very prevalent throughout the year. A total of 1,011 cases were reported with 5 deaths, a mortality rate of 0.4 per cent. As during the previous year, the cases were mostly of a very mild type.

Smallpox.—During the year 59 cases of smallpox were reported, 20 of which died; a death rate of 33 per cent. In the preceding year 147 cases were recorded with no deaths. The cases occurring during the calendar year 1925 were of a very severe form, several being of the "hemorrhagic" type. The vaccination history of these cases showed that 55 of these patients had never been successfully vaccinated, one was vaccinated about 50 years prior to the attack, one 38 years, one 18 years, and the remaining one 14 years before.

An appropriation was obtained during the last session of Congress for the purchase, equipment, and maintenance of a motor ambulance for conveying persons suffering from smallpox to the smallpox hospital for treatment.

The ambulance heretofore in use was horse drawn, old, and in bad condition. The placing in service of the new motor ambulance will permit the removal of these patients with much more comfort and expedition.

Typhoid fever.—During the calendar year 1925, 126 cases of typhoid fever were reported, with 25 deaths, as against 133 cases and 19 deaths for the preceding year. In 27 of the cases reported the infection was traced to causes outside the District of Columbia.

It is felt that much of the typhoid in the District could be prevented if those persons anticipating a vacation in the country or elsewhere would avail themselves of the protection afforded by antityphoid vaccination which is given by the health department without charge to those desiring it.

In the following table is a summary of the 126 cases of typhoid fever, together with certain data relative thereto:

Contracted outside of the District of Columbia.....	27
Contracted probably outside of the District of Columbia.....	29
Contracted from other cases.....	0
Contracted probably from other cases.....	3
Contracted from sources unknown.....	67
Total.....	126

In every case possible to obtain information, the source of water supply used by the patient was obtained, with the following results:

Potomac water exclusively.....	91
Well water.....	0
Spring water.....	1
Total.....	92

Ambulance service.—During the fiscal year 1926, 581 patients suffering from minor contagious diseases were removed to the respective isolation wards for treatment.

Isolating wards, Garfield Memorial and Providence Hospitals, service and expenses for the fiscal year 1926

Institution	Pay patient days	Free patient days	Total patient days	Total appropriated by the Government	Paid by the District for year	Cost to District per free patient per day	Amount received from pay patients
Garfield Memorial Hospital.....	364	2,900	3,264	\$6,164	\$12,000	\$3.68	\$10,361.48
Providence Hospital.....	1,042	1,066	2,108	3,174	8,000	3.80	(¹)

¹ No account of money received from pay patients was rendered by Providence Hospital.

I desire to again call attention to the urgent need for the erection of a suitable building for the care and treatment of persons suffering from minor contagious diseases. Something should be done to provide a modern hospital for the treatment of persons suffering from those diseases. I again renew my recommendation that an effort be made to secure the necessary appropriation for this purpose.

Disinfecting service.—One thousand seven hundred and forty-eight premises were disinfected during the fiscal year for the following diseases: Diphtheria 564, scarlet fever 776, smallpox 10, tuberculosis 387, infantile paralysis 8, and miscellaneous 3. In addition, 225 articles that were exposed to infection were disinfected at the disinfecting station.

Public crematorium.—Four hundred and sixty bodies were cremated during the fiscal year, 21 of which were adults, 142 infants, and 299 stillborn babies. The total cost of maintaining the crematory, including personal service, repairs, supplies, etc., was \$3,002.28.

Bacteriological laboratory.—The work of this branch of the health department was much greater than during the preceding year. In the fiscal year 1925, a total of 17,616 specimens of all kinds were examined, while in the year just closed 21,243 specimens were examined. Of this number 11,825 were for the diagnosis of diphtheria and for the release of patients from quarantine. In 9 cases the diphtheria germ persisted for a considerable length of time in the nose or throat of patients. By the application of the virulence test 5 of the cases were found to be of the nonvirulent type and were therefore released from quarantine.

A great number of specimens examined were for the diagnosis of pulmonary tuberculosis. Of the 2,661 specimens examined, 455 were found to contain the tubercle bacillus. Two hundred and ninety-three specimens of blood were tested by the "Widal reaction" for the diagnosis of typhoid fever.

Diphtheria.—During the calendar year 1925 there was a total of 685 cases of diphtheria reported, or 287 more cases than in the preceding year. While the number of cases increased, the death rate decreased. The death rate for diphtheria in 1924 was 6.2 per cent, while last year it was 5.4 per cent. Attention is called to the fact that in recording cases of diphtheria "carriers" are included with the "clinical" cases.

During the year 2,555 children were given the "Schick" test. Of this number 1,902 were done in the public schools, 326 at the "child welfare centers," and 327 in orphanages. Of the 2,555 "Schicked," 2,044 reacted positively and all but a few of these were given immunizing injections.

Scarlet fever.—Scarlet fever continued very prevalent throughout the year. A total of 1,011 cases were reported with 5 deaths, a mortality rate of 0.4 per cent. As during the previous year, the cases were mostly of a very mild type.

Smallpox.—During the year 59 cases of smallpox were reported, 20 of which died; a death rate of 33 per cent. In the preceding year 147 cases were recorded with no deaths. The cases occurring during the calendar year 1925 were of a very severe form, several being of the "hemorrhagic" type. The vaccination history of these cases showed that 55 of these patients had never been successfully vaccinated, one was vaccinated about 50 years prior to the attack, one 38 years, one 18 years, and the remaining one 14 years before.

An appropriation was obtained during the last session of Congress for the purchase, equipment, and maintenance of a motor ambulance for conveying persons suffering from smallpox to the smallpox hospital for treatment.

The ambulance heretofore in use was horse drawn, old, and in bad condition. The placing in service of the new motor ambulance will permit the removal of these patients with much more comfort and expedition.

Typhoid fever.—During the calendar year 1925, 126 cases of typhoid fever were reported, with 25 deaths, as against 133 cases and 19 deaths for the preceding year. In 27 of the cases reported the infection was traced to causes outside the District of Columbia.

It is felt that much of the typhoid in the District could be prevented if those persons anticipating a vacation in the country or elsewhere would avail themselves of the protection afforded by antityphoid vaccination which is given by the health department without charge to those desiring it.

In the following table is a summary of the 126 cases of typhoid fever, together with certain data relative thereto:

Contracted outside of the District of Columbia.....	27
Contracted probably outside of the District of Columbia.....	29
Contracted from other cases.....	0
Contracted probably from other cases.....	3
Contracted from sources unknown.....	67
Total.....	126

In every case possible to obtain information, the source of water supply used by the patient was obtained, with the following results:

Potomac water exclusively.....	91
Well water.....	0
Spring water.....	1
Total.....	92

Ambulance service.—During the fiscal year 1926, 581 patients suffering from minor contagious diseases were removed to the respective isolation wards for treatment.

Isolating wards, Garfield Memorial and Providence Hospitals, service and expenses for the fiscal year 1926

Institution	Pay patient days	Free patient days	Total patient days	Total appropriated by the Government	Paid by the District for year	Cost to District per free patient per day	Amount received from pay patients
Garfield Memorial Hospital.....	364	2,900	3,264	\$6,164	\$12,000	\$3.68	\$10,361.48
Providence Hospital.....	1,042	1,066	2,108	3,174	8,000	3.80	(1)

¹ No account of money received from pay patients was rendered by Providence Hospital.

I desire to again call attention to the urgent need for the erection of a suitable building for the care and treatment of persons suffering from minor contagious diseases. Something should be done to provide a modern hospital for the treatment of persons suffering from those diseases. I again renew my recommendation that an effort be made to secure the necessary appropriation for this purpose.

Disinfecting service.—One thousand seven hundred and forty-eight premises were disinfected during the fiscal year for the following diseases: Diphtheria 564, scarlet fever 776, smallpox 10, tuberculosis 387, infantile paralysis 8, and miscellaneous 3. In addition, 225 articles that were exposed to infection were disinfected at the disinfecting station.

Public crematorium.—Four hundred and sixty bodies were cremated during the fiscal year, 21 of which were adults, 142 infants, and 299 stillborn babies. The total cost of maintaining the crematory, including personal service, repairs, supplies, etc., was \$3,002.28.

Bacteriological laboratory.—The work of this branch of the health department was much greater than during the preceding year. In the fiscal year 1925, a total of 17,616 specimens of all kinds were examined, while in the year just closed 21,243 specimens were examined. Of this number 11,825 were for the diagnosis of diphtheria and for the release of patients from quarantine. In 9 cases the diphtheria germ persisted for a considerable length of time in the nose or throat of patients. By the application of the virulence test 5 of the cases were found to be of the nonvirulent type and were therefore released from quarantine.

A great number of specimens examined were for the diagnosis of pulmonary tuberculosis. Of the 2,661 specimens examined, 455 were found to contain the tubercle bacillus. Two hundred and ninety-three specimens of blood were tested by the "Widal reaction" for the diagnosis of typhoid fever.

Bathing pools.—As heretofore, close attention was given the public bathing pools. Specimens of water were frequently collected from the various pools throughout the District and examined. A study of the results obtained from the examination of specimens of water from these pools shows an improvement has been made in the care of these places and better sanitary measures taken in regard to the bathers as well as the surroundings.

Wells and water supplies.—In an effort to keep close supervision over the drinking supply, 1,540 samples of water were collected and examined. These samples were collected from the public supply, private wells, and from common carriers entering and leaving the District of Columbia.

Milk and cream.—A very close supervision of the milk and cream sold in the District of Columbia has, as heretofore, been maintained throughout the year, and I feel justified in saying that the people of this District are furnished a quality of milk and cream second to none in this country.

Lead-poison investigation.—During the year the bacteriological laboratory started an investigation to determine the extent of lead hazard of persons engaged in certain occupations. The investigation, however, has not been under way a sufficient length of time to enable the department to draw any definite conclusions, although four employees in one establishment were found to be suffering from the effects of lead. The investigation is still in progress.

Serological laboratory.—Six thousand four hundred and sixty specimens of all kinds were examined during the fiscal year; 4,868 were for "complement fixation" test. Of this number, 1,276 gave positive reaction for syphilis. One thousand one hundred and fifty-eight smears examined for the diagnosis of gonorrhea resulted in finding the gonococci in 402 of these specimens.

Chemical laboratory.—A total of 9,919 samples were examined during the fiscal year as follows: Drugs 5, milk 9,060, cream 317, other foods 344, water 140, feces and urine for lead poisoning 20, dust from establishments to determine presence of lead 5, and miscellaneous 6. In addition, 14 samples were examined for the police department and 8 for the coroner.

Dispensaries—Tuberculosis division.—Eight hundred and fifty-seven new patients applied for examination during the fiscal year; 210 of these were found to be suffering from tuberculosis, 260 showed no evidence of that disease, and in the remaining cases the diagnosis was "pending" at the close of the year. The ages of 51 of the positive cases were 15 years or under.

The total number of visits made to the clinic by all patients was 7,270. Visits made by nurses to homes of patients numbered 4,410, and the number of X-ray pictures taken was 1,532.

Veneral disease division.—This clinic continues to grow. The fiscal year just closed shows that 2,491 new patients applied for examination and treatment, and of this number 623 were white and 1,868 colored. Fifty-one were under 5 years of age, and 379 between the ages of 5 and 15 years. The total number of visits made to the clinic by all patients was 16,515, an increase of 1,545 over the preceding year.

Two thousand four hundred and eighty-three Wassermann examinations were made, 4,313 salvarsan, and 5,028 mercury injections given.

The building in which the dispensaries are located is at present in a bad state of repair, an appropriation, however, has been obtained which will enable the department to put it in better condition during the next year.

Report of sanitary officer.—On February 15, 1926, the work formerly done by the sanitary officer under the direction of the police department was transferred to the Health Department. The duties of the sanitary officer consists in handling persons suffering from or believed to be suffering from mental derangement.

During the fiscal year 1926, 454 new patients were admitted, at the request of the District, to the Government Hospital for the Insane, and 3 readmitted. Three hundred and sixteen persons were taken into custody by the police and held for mental observation.

Of the 457 cases handled, the record shows that 379 were tried and adjudged insane by the lunacy court and committed to the hospital; 21 were adjudged not insane and released from custody. In 9 cases the proceedings were dismissed, 29 were discharged by the superintendent of the hospital before trial, 7 died before being brought to trial, 4 were admitted to the hospital on duplicate permits, 3 transferred to the veterans' roll, and 5 had not been disposed of at the close of the year.

In the following table will be found a classification of the mental condition of those adjudged insane.

Alcoholic dementia.....	1
Manic depressive.....	16
Dementia praecox.....	29
Catatonic form.....	26
Hebephrenia form.....	58
Paranoid form.....	57
Defective basis.....	5
Epileptic dementia.....	5
Epileptic psychosis.....	1
General paresis.....	60
Toxic psychosis.....	2
Imbecility.....	12
Dementia:	
Arteriosclerotic dementia.....	49
Organic dementia.....	11
Senile dementia.....	40
Agitated melancholia.....	3
Mental defective.....	9
Cerebral spinal syphilis.....	1
Melancholia with psychosis.....	1
Involutional melancholia.....	2
Psychosis with organic brain trouble.....	1
Total.....	379

MEDICAL AND DENTAL INSPECTION OF PUBLIC SCHOOLS

During the school year a total of 7,699 visits were made by medical inspectors to school buildings, and 102 visits were made by the inspectors to homes of pupils. Forty-nine thousand one hundred and forty-six examinations of pupils were made. Four thousand eight hundred and seventy-one pupils were excluded from school for various causes.

An effort was made to physically examine as many pupils in the kindergarten and first grades as was possible. The total number examined was 3,571, and of this number 3,314, or 92.8 per cent, were found to have some physical defect.

The principal defects found were: Defective teeth, 63.5 per cent; diseased tonsils, 45.3 per cent; enlarged glands, 27.5 per cent; poor nutrition, 23.7 per cent; nasal breathing, 18.2 per cent; defective vision, 12.6 per cent; orthopedic defects, 10.6 per cent; anæmia, 5.7 per cent; skin or parasitic disease, 5.6 per cent; pulmonary disease, 4 per cent; speech defect, 3.8 per cent; chronic nasal catarrh, 3.7 per cent; nervous system, 3.4 per cent; and cardiac disease, 2.2 per cent.

These findings show that a large percentage of pupils entering the public schools in this District are seriously handicapped by physical defects urgently in need of correction. All preschool children should be examined and their physical defects, if possible, be corrected before entering school.

The present corps of medical inspectors of schools is very inadequate, and with such a limited force it is impossible to give the pupils the medical supervision they should have.

An effort has been made to secure an increased number of medical inspectors, nurses, dental operators, and dental clinics, but thus far without success. I urgently recommend that renewed efforts be made to secure a more adequate service.

One thousand six hundred and eighty-four applicants for teaching positions and for admission to the normal school were examined to determine their fitness for the work they desired to do. Of these applicants, 607 were passed, 952 passed conditionally, 119 rejected temporarily, and 6 rejected permanently.

Five hundred and thirty-three applicants were examined for child-labor permits; 279 were given permits, 251 were granted temporary permits only, and 3 definitely refused permits.

The dental inspectors examined a total of 22,388 pupils and 1,684 applicants for teaching positions during the school year. A larger number of dental clinics is needed and it is hoped some way may be found to obtain them.

The dental operators treated during the year at the four dental clinics a total of 4,501 pupils; 12,699 fillings, 5,023 extractions, and 13,711 other operations were performed.

The school nurses handled during the year 14,780 pupils having physical defects of some kind; 5,587 visits were made to school buildings, 7,541 to the homes of pupils, 1,314 to various clinics, and 1,172 to various cooperative agencies.

The present corps of nurses is inadequate to properly carry on the work and a determined effort should be made to secure a larger staff.

BUREAU OF FOOD INSPECTION

The food inspectors made a total of 92,934 inspections during the year. The following table shows the number and location of dairy farms on which milk and cream is produced for sale in the District of Columbia.

Dairy farms on which milk and cream were lawfully produced for sale in the District of Columbia during the fiscal year 1926, number and distribution of, with certain data pertaining thereto, and corresponding figures for the preceding year

Vicinity and year	Dairy farms registered during year				Cattle			Tuberculin tested			
	Beginning of year	Registered	Canceled	Close of year	Beginning of year	During year, increase	Close of year	Total	Passed	Re-acted	Sus-picious
Total:											
1925.....	1,735	278	443	1,570	31,066	-----	31,265	31,265	31,052	193	20
1926.....	1,570	235	269	1,536	31,265	-----	30,535	30,535	30,263	267	5
District of Columbia:											
1925.....	13	1	1	13	189	-----	106	106	106	0	0
1926.....	13	0	5	8	106	-----	157	157	155	2	0
Maryland:											
1925.....	1,042	196	324	914	14,858	-----	15,678	15,678	15,565	102	11
1926.....	914	145	158	901	15,678	-----	15,024	15,024	14,848	172	4
Virginia:											
1925.....	633	76	108	601	14,809	-----	14,313	14,313	14,223	81	9
1926.....	601	81	87	595	14,313	-----	14,304	14,304	14,227	76	1
Pennsylvania:											
1925.....	8	1	1	8	349	109	458	458	454	4	0
1926.....	8	2	5	5	458	13	471	471	465	6	0
West Virginia:											
1925.....	27	2	2	27	716	-----	650	650	646	4	0
1926.....	27	6	9	24	650	-----	498	498	493	5	0
Ohio:											
1925.....	12	2	7	7	145	-----	60	60	58	2	0
1926.....	7	1	5	3	60	21	81	81	75	6	0

Statement showing results of prosecution for violations of the laws and regulations of food and drugs acts during the fiscal year 1926, with corresponding figures for previous year

	United States district attorney		Police court	
	1925	1926	1925	1926
Cases referred.....	24	20	330	417
Cases of fine and forfeiture.....	21	18	252	375
Cases of personal bonds taken.....	0	0	16	13
Cases nolle prossed.....	1	0	9	15
Cases acquitted.....	2	2	2	2
Cases pending.....	3	0	51	12
Amount of fines and forfeitures.....	\$625	\$860	\$2,070	\$4,418

Creameries for the District of Columbia during the fiscal year 1926, number and distribution of, with certain data pertaining thereto

Licensed at beginning of year.....	10
Applications received.....	0
Permits issued.....	0
Permits canceled.....	3
Licensed at close of year.....	7
Inspections during the year.....	84
Average number of inspections of each creamery during year.....	12.00
Average number of creameries inspected per day worked.....	.24

BUREAU OF SANITARY INSPECTION

General nuisance inspections.—The total number of complaints received and acted upon during the fiscal year was 6,756. These complaints necessitated a total of 9,559 inspections and 20,871 re-inspections to be made.

During the year the sanitary inspectors made approximately 77,553 visits. Violations of the law or regulations for the prevention and abatement of nuisances were reported in 11,211 instances, and in 405 cases it was necessary to institute legal proceedings against the responsible persons before the abatement of the nuisance was accomplished.

The record shows the following disposition of these 405 cases, together with 30 additional ones pending at the close of the fiscal year 1925; nolle prosequi 271, personal bonds 14, collateral forfeited 64, acquitted 7, fines imposed 31, and 48 pending at close of year.

The total amount of fines and forfeitures was \$850.

Under the assessment system of notices, 492 nonresident owners of property were notified to abate certain nuisances on their property in this District. In 49 instances the owners failed to comply with the notice served and the necessary work was done by the District at a cost of \$1,960; said cost being assessed against the property involved.

Smoke inspection.—The following table sets forth in detail the work done in the smoke-inspection service:

Smoke inspections during the fiscal years 1925 and 1926

	1925	1926
Observations.....	10, 237	12, 016
Violations of the law reported.....	826	743
Cases referred to corporation counsel.....	100	62
Cases of fines and forfeitures.....	103	55
Cases of personal bonds taken.....	3	5
Cases nolle-prossed.....	29	0
Cases acquitted.....	0	2
Cases pending.....	5	0
Amounts of fines and forfeitures.....	\$1, 030	\$620
Plants under observation.....	922	1, 024
Number of inspection of plants.....	619	685
Reports of investigations, complaints, and letters.....	319	301

EIGHT HOUR FEMALE LABOR LAW

During the year 113 complaints were received and acted upon, and 33 violations of the law reported and referred to corporation counsel for prosecution. These cases, with 3 pending at close of fiscal year 1925, were disposed of as follows: 7 cases personal bonds, 5 cases collateral forfeited, 20 cases fines were imposed, 1 case nolle prossed, 2 cases dismissed, and one case still pending at close of year. The total amount of fines and forfeitures was \$755.

Summary of the work performed in the eight hour labor law service, fiscal year 1926

Complaints acted upon.....	113
Inspections on complaint.....	118
Official calls made.....	1, 077

Child-hygiene service.—Seven child-hygiene stations were maintained throughout the year. This work which is being conducted in the interest of children under 6 years of age is rapidly growing. Appropriation having been secured for the purpose, two new hygiene stations will be opened July 1, 1926, one to be located at 5327 Georgia Avenue NW., and the other at 1201 Talbert Street SE. The following table shows in detail the volume of work done:

Report of child hygiene service

Month	Visits					Readmitted cases			Total visits			Nurses visits to homes			
	New cases			Old cases		Total	White		Total	White		Total	White		Total
	White	Colored	Total	White	Colored		White	Colored		White	Colored				
July.....	199	236	435	1,360	592	1,952	8	2	1,727	965	778	697	1,475		
August.....	134	128	262	1,312	620	1,932	7	9	1,579	836	761	605	1,366		
September.....	162	121	283	1,708	764	2,472	20	3	2,033	1,020	556	462	1,010		
October.....	138	97	235	1,556	683	2,239	11	1	1,835	646	644	508	1,040		
November.....	111	76	187	1,318	477	1,795	5	3	1,564	631	682	574	1,218		
December.....	68	56	124	1,298	488	1,786	7	1	1,481	631	682	534	1,216		
1926															
January.....	81	58	139	1,121	430	1,551	5	3	1,379	574	675	463	1,138		
February.....	96	41	137	1,073	327	1,300	8	3	1,176	444	501	451	952		
March.....	112	79	191	1,398	561	1,959	13	6	1,666	714	699	638	1,337		
April.....	142	100	242	1,328	702	2,030	10	5	1,636	903	685	526	1,211		
May.....	129	77	206	1,387	807	2,194	10	5	1,797	1,008	714	529	1,243		
June.....	144	122	266	1,672	874	2,546	9	6	1,989	1,091	677	565	1,242		
Total.....	1,516	1,191	2,707	16,431	7,325	23,756	113	47	19,862	9,712	7,904	6,552	14,456		

Month	Under observation during the year										Remaining under observation			
	Under 2 years					2 to 6 years					Total			
	White		Colored		Total	White		Colored		Total	Under 2 years		2 to 6 years	
	Colored	Total	Colored	Total		Colored	Total	Colored	Total		White	Colored	White	Total
July.....	1,066	511	1,577	374	583	209	1,440	720	2,160	1,014	1,509	209	370	1,384
August.....	1,173	601	1,774	408	664	256	1,581	857	2,438	1,043	1,608	234	360	1,403
September.....	1,324	706	2,030	439	714	275	1,763	981	2,744	1,103	1,758	38	80	1,482
October.....	1,435	777	2,212	477	779	302	1,912	1,079	2,991	1,163	1,862	265	390	1,553
November.....	1,521	836	2,357	507	829	322	2,028	1,158	3,186	1,177	1,901	271	387	1,564
December.....	1,573	884	2,457	530	861	331	2,103	1,215	3,318	1,140	1,850	254	376	1,516
1926														
January.....	1,624	932	2,556	547	891	344	2,171	1,276	3,447	1,117	1,839	241	374	1,491
February.....	1,715	965	2,680	578	933	355	2,238	1,320	3,613	1,105	1,792	233	376	1,481
March.....	1,796	1,033	2,829	622	994	372	2,418	1,405	3,823	1,132	1,850	622	378	1,510
April.....	1,905	1,115	3,020	665	1,060	395	2,570	1,510	4,080	1,138	1,891	633	388	1,546
May.....	2,009	1,176	3,185	700	1,116	416	2,769	1,592	4,301	1,218	1,973	410	372	1,628
June.....	2,117	1,276	3,393	745	1,189	444	2,862	1,720	4,582	1,169	1,892	261	386	1,555

Boarding homes and nurseries.—During the year 53 applications were received to maintain boarding homes for children. Investigation resulted in issuing only 30 permits. There are now 124 permits in force and effect.

A decided improvement has been noted in the maintenance of these homes as compared with existing conditions previous to the passage of the regulations governing them.

THE POUND SERVICE

Animals to the number of 5,740 were received at the pound, including 45 dogs left over from the previous year. Of these, 4,407 were dogs, 28 horses, 2 mules, one goat, and 1,302 cats. Dogs to the number of 2,888 were captured while running at large contrary to law, and 1,100 were surrendered to be killed.

Three hundred and seventy-four dogs were sent to the pound for observation on account of having bitten some person or animal.

Fees from the pound service were received as follows:

Fees for redemption of animals.....	\$1, 048. 00
Fees from sales of animals.....	1, 014. 50
Fees for reimbursement for food.....	422. 50

BUREAU OF ADMINISTRATION

Correspondence and files.—During the year 1,076 letters and 5,619 oral complaints were received; 14,074 letters were sent out by the department, and 1,767 special reports handled and filed.

BUREAU OF VITAL STATISTICS

Nine thousand and thirty-four births, 508 stillbirths, and 7,481 deaths were recorded during the fiscal year.


Three thousand one hundred and forty-six transcripts from the records of deaths and births were issued.

Respectfully submitted.

W. C. FOWLER, M. D.,
Health Officer

APPENDIX A

VITAL STATISTICS



APPENDIX

TABLE 3.—Deaths and average age of decedents in the District of Columbia, arranged according to age, sex, and race, with percentages to total corresponding mortality, from 1901 to 1925, inclusive

[illegible]

WHITE FEMALES

1901-1905 1	1,519	43	5	16	1,221	52	3	14	80.38	1,144	56	6	0	75.31	867	64	11	6	57.08
1906-1910	1,605	45	5	27	1,308	55	7	22	81.47	1,299	58	4	18	76.56	981	65	3	6	61.04
1911-1915	2,036	49	7	10	1,405	57	5	19	85.88	1,337	59	11	11	81.72	1,133	66	7	1	69.25
1916-1920	2,033	48	11	2	1,789	56	0	11	87.14	1,688	58	5	27	82.22	1,295	66	5	5	63.08
1921	1,890	52	9	6	1,638	60	8	29	86.67	1,557	63	3	23	82.38	1,320	69	3	11	69.84
1922	1,940	53	2	3	1,712	60	1	29	88.25	1,643	62	2	24	84.69	1,397	67	10	3	72.01
1923	2,140	52	10	27	1,863	60	9	2	87.05	1,784	62	1	24	83.36	1,488	69	4	22	69.53
1924	1,941	53	1	2	1,716	59	11	15	88.41	1,649	61	11	1	84.96	1,405	67	5	11	72.39
1925	1,985	53	11	22	1,746	61	3	9	87.96	1,693	62	9	11	85.29	1,461	68	1	24	73.60

¹ Average for 5-year period.

TABLE 4.—*Decedents (stillbirths excluded) in the District of Columbia under 1 year of age, by race and age, during the calendar year 1925*

SUMMARY

Age	Deaths			Percentage under 1 year		
	White	Colored	All	White	Colored	All
Under 1 day.....	126	58	184	29.58	15.47	22.97
1 day to 1 week.....	79	56	135	18.55	14.93	16.85
1 week to 1 month.....	34	39	73	8.00	10.40	9.11
1 to 2 months.....	33	33	66	7.75	8.80	8.24
2 to 3 months.....	30	27	57	7.00	7.20	7.12
3 to 4 months.....	26	23	49	6.10	6.13	6.12
4 to 5 months.....	12	17	29	2.82	4.53	3.62
5 to 6 months.....	12	21	33	2.82	5.60	4.12
6 to 7 months.....	16	19	35	3.76	5.07	4.37
7 to 8 months.....	15	23	38	3.52	6.13	4.74
8 to 9 months.....	14	19	33	3.29	5.07	4.12
9 to 10 months.....	8	19	27	1.88	5.07	3.37
10 to 11 months.....	5	11	16	1.17	2.93	2.00
11 to 12 months.....	16	10	26	3.76	2.67	3.25
Total.....	426	375	801	100.00	100.00	100.00

TABLE 9.—*Estimated population, deaths (stillbirths excluded), and death rate in the District of Columbia, by race and calendar years, from 1901 to 1925*

Year	Population			Deaths			Death rates		
	White	Colored	Total	White	Colored	Total	White	Colored	Total
1901-1905 ¹	217,606	93,719	311,325	3,395	2,647	6,042	15.60	28.20	19.41
1906-1910 ¹	240,244	96,696	336,940	3,626	2,678	6,304	15.09	27.69	18.71
1911-1915 ¹	255,162	98,281	353,443	3,665	2,523	6,188	14.35	25.63	17.49
1916-1920 ¹	307,076	106,194	413,270	4,512	2,608	7,120	14.76	24.70	17.33
1921.....	341,662	112,364	454,026	3,978	2,079	6,057	11.64	18.50	13.34
1922.....	341,662	112,364	454,026	4,043	2,262	6,305	11.83	20.13	13.89
1923.....	359,569	116,397	475,966	4,449	2,656	7,105	12.37	22.82	14.93
1924.....	368,915	118,021	486,936	4,140	2,413	6,553	11.22	20.44	13.46
1925.....	378,261	119,645	497,906	4,302	2,714	7,016	11.37	22.68	14.09

¹ Annual average for 5-year period.TABLE 10.—*Summary of deaths (stillbirths excluded) in the District of Columbia of children under 1 year of age, by sex and color, and by years*

Calendar year	White		Colored		Grand total		
	Male	Female	Male	Female	White	Colored	Total
1901-1905 ¹	297	218	353	297	515	650	1,165
1906-1910 ¹	297	225	319	273	522	592	1,114
1911-1915 ¹	239	172	231	193	411	424	835
1916-1920 ¹	242	187	189	164	429	353	782
1921.....	256	177	170	148	433	318	751
1922.....	241	175	190	165	416	355	771
1923.....	265	187	206	166	452	372	824
1924.....	214	181	175	138	395	313	708
1925.....	237	189	222	153	426	375	801

¹ Annual average for 5-year period

TABLE 11.—*Births and deaths (stillbirths excluded) in the District of Columbia, by races, under 1 year of age and from 1 to 4 years, inclusive*

Year	White			Colored			Total		
	Births	Deaths under 1 year	Deaths 1 to 4 years	Births	Deaths under 1 year	Deaths 1 to 4 years	Births	Deaths under 1 year	Deaths 1 to 4 years
1901-1905 ¹	3, 429	519	168	1, 980	650	246	5, 409	1, 169	414
1906-1910 ¹	4, 632	522	163	2, 268	592	200	6, 900	1, 114	363
1911-1915 ¹	4, 794	411	123	2, 234	424	154	7, 028	835	277
1916-1920 ¹	5, 746	429	167	2, 279	353	151	8, 025	782	318
1921	6, 448	433	148	2, 580	318	107	9, 028	751	255
1922	6, 448	416	117	2, 618	355	180	9, 121	771	197
1923	6, 503	452	180	2, 616	372	154	9, 029	824	334
1924	6, 527	395	115	2, 830	313	93	9, 357	708	208
1925	6, 313	426	105	2, 860	375	131	9, 173	801	236

¹ Annual average for 5-year period.TABLE 12.—*Deaths (stillbirths excluded) of infants under 1 day, and from 1 day to, 1 week old, in the District of Columbia, with corresponding death rates based on registered births, during the years mentioned below*

Years	Registered births			Deaths under 1 day			Deaths rates under 1 day			Deaths 1 to 7 days			Death rates 1 to 7 days		
	W.	C.	All	W.	C.	All	W.	C.	All	W.	C.	All	W.	C.	All
1901-1905 ¹	3, 429	1, 980	5, 409	70	54	124	20.4	27.3	23.0	76	82	158	22.2	41.4	29.2
1906-1910 ¹	4, 632	2, 268	6, 900	78	53	131	16.8	23.4	18.9	88	69	157	19.0	30.4	22.8
1911-1915 ¹	4, 794	2, 234	7, 028	81	51	132	16.9	22.8	18.7	70	62	132	14.6	27.8	18.8
1916-1920 ¹	5, 746	2, 279	8, 025	92	47	139	16.0	20.6	17.3	81	62	143	14.1	27.2	17.8
1921	6, 448	2, 580	9, 028	113	64	177	17.5	24.8	19.6	85	53	138	13.2	20.5	15.3
1922	6, 503	2, 618	9, 121	110	59	169	16.9	22.5	18.5	97	62	159	14.9	23.7	17.4
1923	6, 413	2, 616	9, 029	114	63	177	17.8	24.1	19.6	95	64	159	14.8	24.5	17.6
1924	6, 527	2, 830	9, 357	100	58	158	15.3	20.5	16.9	92	54	146	14.1	19.1	15.6
1925	6, 313	2, 860	9, 173	126	58	184	19.9	20.3	20.1	79	56	135	12.5	19.6	14.7

¹ Annual average for 5-year period.TABLE 14.—*Number of deaths and relative mortality of certain specified diseases, contagious and otherwise, for the years mentioned below*

Year	1 Aneurism						2 Angina pectoris						3 Apoplexy					
	Deaths			Death rates per 100,000			Deaths			Death rates per 100,000			Deaths			Death rates per 100,000		
	W.	C.	Total	W.	C.	Total	W.	C.	Total	W.	C.	Total	W.	C.	Total	W.	C.	Total
1901-1905 ¹	4	3	7	1.8	3.2	2.2	18	4	22	8.3	4.3	7.1	177	91	268	81.3	97.1	86.8
1906-1910 ¹	6	7	13	2.5	7.2	3.8	15	4	19	6.2	4.1	5.6	216	111	327	90.0	114.8	97.8
1911-1915 ¹	7	8	15	2.7	8.0	4.2	20	5	25	7.8	5.1	7.1	273	140	413	106.9	142.2	116.7
1916-1920 ¹	7	12	19	2.3	11.3	4.6	28	4	32	9.1	3.7	7.9	338	153	491	110.1	144.1	118.8
1921	12	9	21	3.5	8.0	4.6	40	1	41	11.7	.9	9.0	325	138	463	95.1	122.8	102.0
1922	21	12	33	6.1	10.7	7.3	65	4	69	19.0	3.6	15.2	328	163	491	96.0	145.0	108.2
1923	12	8	20	3.3	6.9	4.2	57	4	61	15.8	3.4	12.8	380	170	550	105.7	146.0	115.6
1924	7	2	9	1.9	1.7	1.8	48	2	50	13.0	1.7	10.2	379	148	527	102.7	125.4	108.2
1925	7	10	17	1.8	8.4	3.4	49	4	53	13.0	3.3	10.6	330	162	492	87.2	135.4	98.8

¹ Annual average for 5-year period.

TABLE 14.—Number of deaths and relative mortality of certain specified diseases, contagious and otherwise, for the years mentioned below—Continued

Year	4 Arteriosclerosis						5 Bright's disease						6 Cirrhosis of liver					
	Deaths			Death rates per 100,000			Deaths			Death rates per 100,000			Deaths			Deaths per 100,000		
	W.	C.	Total	W.	C.	Total	W.	C.	Total	W.	C.	Total	W.	C.	Total	W.	C.	Total
1901-1905 ¹	29	6	35	13.3	6.4	11.2	233	127	360	107.1	135.5	115.6	27	7	34	12.4	7.5	10.9
1906-1910 ¹	71	13	84	29.5	13.4	24.9	283	159	442	117.8	164.5	131.2	33	10	43	13.7	10.3	12.8
1911-1915 ¹	98	22	120	38.4	22.3	33.9	347	197	544	135.8	200.1	153.7	34	8	42	13.3	8.0	11.9
1916-1920 ¹	152	24	176	49.2	22.6	42.6	345	204	549	112.3	192.1	132.8	24	5	29	7.8	4.7	7.0
1921	146	37	183	42.7	32.9	40.3	332	163	495	97.1	145.0	109.0	15	11	26	4.4	9.8	6.1
1922	153	28	181	44.8	24.9	39.9	326	156	482	95.4	138.8	106.2	18	7	25	5.3	6.2	5.5
1923	121	50	171	33.7	43.0	35.9	355	186	541	98.7	159.8	113.7	17	1	18	4.7	.9	3.8
1924	158	44	202	42.8	37.2	41.5	395	219	614	107.1	185.6	126.1	15	9	24	4.1	7.6	4.9
1925	172	64	236	45.5	53.5	47.4	359	196	555	94.9	163.8	111.5	18	10	28	4.8	8.2	5.6

Year	7 Diabetes						8 Diarrhea and enteritis (under 2 years)						9 Diarrhea and enteritis (2 years and over)					
	Deaths			Death rates per 100,000			Deaths			Death rates per 100,000			Deaths			Death rates per 100,000		
	W.	C.	Total	W.	C.	Total	W.	C.	Total	W.	C.	Total	W.	C.	Total	W.	C.	Total
1901-1905 ¹	27	4	31	12.4	4.3	9.9	126	197	323	57.9	210.2	103.8	56	26	82	25.7	27.7	26.3
1906-1910 ¹	37	4	41	15.4	4.1	12.2	128	177	305	53.3	183.1	90.5	50	22	72	20.8	22.7	21.4
1911-1915 ¹	50	8	58	19.5	8.0	16.3	81	111	192	31.7	112.7	54.2	43	20	63	16.8	20.3	17.8
1916-1920 ¹	50	16	66	16.3	15.1	15.9	88	91	179	29.0	85.7	43.3	42	26	68	13.7	24.5	16.5
1921	51	18	69	14.9	16.0	15.2	70	49	119	20.5	43.6	26.2	39	16	55	11.4	14.3	12.1
1922	56	22	78	16.4	19.6	17.2	47	60	107	13.7	53.4	23.6	32	22	54	9.4	19.6	11.9
1923	57	25	82	15.8	21.5	17.2	94	46	140	26.1	39.5	29.4	33	24	57	9.2	20.6	12.0
1924	51	30	81	13.8	25.4	16.6	67	45	112	18.2	38.0	23.0	32	20	52	8.7	16.9	10.7
1925	49	22	71	13.0	18.4	14.3	81	87	168	21.4	72.7	33.7	22	25	47	5.8	20.9	9.4

Year	10 Diseases of the heart						11 Dysentery						12 Epilepsy					
	Deaths			Death rates per 100,000			Deaths			Death rates per 100,000			Deaths			Death rates per 100,000		
	W.	C.	Total	W.	C.	Total	W.	C.	Total	W.	C.	Total	W.	C.	Total	W.	C.	Total
1901-1905 ¹	277	216	493	127.3	230.5	158.4	13	10	23	6.0	10.7	7.4	14	10	24	6.4	10.7	7.7
1906-1910 ¹	332	236	568	138.3	244.1	168.6	7	9	16	2.9	9.3	4.7	13	9	22	5.4	9.3	6.5
1911-1915 ¹	461	277	738	180.5	281.3	208.5	4	3	7	1.6	3.0	2.0	10	11	21	3.9	11.1	5.9
1916-1920 ¹	491	236	727	159.8	222.2	175.9	3	4	7	.9	3.8	1.7	9	8	17	2.9	7.5	4.1
1921	483	207	690	141.4	184.2	152.0	5	4	9	1.5	3.6	2.0	6	---	6	1.8	---	1.3
1922	504	217	721	147.5	193.1	158.9	2	2	4	.6	1.8	.9	6	6	12	1.8	5.3	2.6
1923	504	272	776	140.2	233.6	163.0	2	5	7	.6	4.3	1.5	14	6	20	3.9	5.2	4.2
1924	487	244	731	132.0	206.7	150.1	0	2	2	.0	1.7	.4	9	8	17	2.4	6.7	4.3
1925	731	422	1153	193.2	352.7	231.6	4	5	9	1.0	4.2	1.8	2	3	5	0.5	2.4	1.0

¹ Annual average for 5-year period.

TABLE 14.—Number of deaths and relative mortality of certain specified diseases, contagious and otherwise, for the years mentioned below—Continued

Year	13 Gastritis						14 Grippe—Influenza						15 Insanity					
	Deaths			Death rates per 100,000			Deaths			Death rates per 100,000			Deaths			Death rates per 100,000		
	W.	C.	Total	W.	C.	Total	W.	C.	Total	W.	C.	Total	W.	C.	Total	W.	C.	Total
1901-1905 ¹	44	24	68	20.2	25.6	21.8	51	38	89	23.4	40.5	28.6	27	8	35	12.4	8.5	11.2
1906-1910 ¹	41	32	73	17.1	33.1	21.7	52	44	96	21.6	45.5	28.5	25	11	36	10.4	11.4	10.7
1911-1915 ¹	25	29	54	19.8	29.5	15.3	40	31	71	15.7	31.5	20.1	41	22	63	16.1	22.3	17.8
1916-1920 ¹	14	17	31	4.6	16.0	7.5	437	145	582	142.3	136.5	140.8	51	25	76	16.6	23.5	18.4
1921	17	16	33	5.0	14.2	7.3	24	10	34	7.0	8.9	7.5	33	17	50	9.6	15.2	11.0
1922	15	19	34	4.4	16.9	7.5	25	16	41	7.3	14.2	9.0	30	21	51	8.8	18.6	11.3
1923	10	18	28	2.8	15.5	5.9	101	58	159	28.1	49.8	33.4	48	22	70	12.3	19.0	14.7
1924	23	16	39	6.2	13.5	8.0	20	13	33	5.4	11.0	6.8	43	35	78	11.7	29.6	15.9
1925	10	10	20	2.6	8.3	4.0	34	29	63	8.9	24.2	12.6	35	23	58	9.3	19.1	11.6

Year	16 Malarial fevers						17 Malignant growths						18 Pneumonia, all forms					
	Deaths			Death rates per 100,000			Deaths			Death rates per 100,000			Deaths			Death rates per 100,000		
	W.	C.	Total	W.	C.	Total	W.	C.	Total	W.	C.	Total	W.	C.	Total	W.	C.	Total
1901-1905 ¹	12	11	23	5.5	11.7	7.4	166	52	218	76.3	55.5	70.0	219	288	507	100.6	307.3	162.9
1906-1910 ¹	5	6	11	2.1	6.2	3.2	212	64	276	88.3	66.2	81.9	246	304	550	102.5	314.0	163.2
1911-1915 ¹	2	1	3	.8	1.0	.8	259	80	339	101.4	81.2	95.8	262	285	547	102.6	289.5	154.6
1916-1920 ¹	1	1	2	.3	.9	.5	325	89	414	105.8	83.8	100.1	427	381	808	139.1	358.8	195.5
1921	1	1	2	.3	.9	.4	390	107	497	114.1	95.2	109.5	282	267	549	82.5	237.6	120.9
1922	3	0	3	.9	—	.6	381	105	486	111.5	93.5	107.1	343	296	639	100.3	263.3	140.8
1923	—	—	—	—	—	—	385	98	483	107.1	84.2	101.5	501	514	1,015	139.3	441.5	213.3
1924	0	1	1	0	.8	.2	403	130	533	109.2	110.2	109.0	397	344	741	107.5	291.4	152.2
1925	0	0	0	0	0	0	433	122	555	114.5	102.0	111.1	333	307	640	88.0	256.6	128.5

Year	19 Rheumatism, acute and chronic						20 Rabies						21 Softening of the brain					
	Deaths			Death rates per 100,000			Deaths			Death rates per 100,000			Deaths			Death rates per 100,000		
	W.	C.	Total	W.	C.	Total	W.	C.	Total	W.	C.	Total	W.	C.	Total	W.	C.	Total
1901-1905 ¹	25	10	35	11.5	10.6	11.2	—	—	—	—	—	—	12	6	18	5.5	6.4	5.7
1906-1910 ¹	20	11	31	8.3	11.4	9.2	—	—	—	—	—	—	15	6	21	8.7	6.2	6.2
1911-1915 ¹	15	9	24	5.9	9.1	6.8	—	—	—	—	—	—	6	2	8	2.3	2.0	2.3
1916-1920 ¹	15	4	19	4.9	3.8	4.6	—	—	—	—	—	—	2	1	3	.6	.9	.7
1921	6	5	11	1.7	4.4	2.4	—	—	—	—	—	—	3	—	3	.9	—	.6
1922	15	9	24	4.4	8.0	5.2	—	—	—	—	—	—	2	—	2	.6	—	.4
1923	10	3	13	2.7	2.6	2.7	—	—	—	—	—	—	2	—	2	.5	—	.4
1924	18	5	23	4.8	4.2	4.7	0	0	0	0	0	0	1	1	2	.3	.8	.4
1925	11	5	16	2.9	4.2	3.2	0	0	0	0	0	0	4	0	4	1.0	0	.8

¹ Annual average for 5-year period.

TABLE 14.—*Number of deaths and relative mortality of certain specified diseases, contagious and otherwise, for the years mentioned below—Continued*

Year	22 Suicides						23 Steam railroad accidents						24 Street railroad accidents					
	Deaths			Death rates per 100,000			Deaths			Death rates per 100,000			Deaths			Death rates per 100,000		
	W.	C.	Total	W.	C.	Total	W.	C.	Total	W.	C.	Total	W.	C.	Total	W.	C.	Total
1901-1905 ¹	46	5	51	21.1	5.3	16.4	18	6	24	8.3	6.4	7.7	6	2	8	2.8	2.1	2.6
1906-1910 ¹	62	9	71	25.8	9.3	21.1	18	7	25	7.5	7.2	7.4	11	4	15	4.6	4.1	4.4
1911-1915 ¹	71	10	81	27.8	10.2	22.9	7	1	8	2.7	1.0	2.3	12	3	15	4.7	3.0	4.2
1916-1920 ¹	60	8	68	19.5	7.5	16.4	8	2	10	2.6	1.9	2.4	12	4	16	3.9	3.8	3.9
1921.....	182	2	184	53.2	1.8	40.5	2	1	3	6	1.5	1.3	10	1	11	2.9	.9	2.4
1922.....	61	6	67	17.9	5.3	14.7	5	1	6	1.5	.9	1.3	8	3	11	2.3	2.7	2.4
1923.....	67	6	73	18.6	5.1	15.3	7	1	8	1.9	.9	1.7	7	2	9	1.9	1.7	1.9
1924.....	77	7	84	20.9	5.9	17.3	4	0	4	1.1	0	.8	8	5	13	2.2	4.2	2.6
1925.....	66	5	71	17.4	4.2	14.2	5	0	5	1.3	0	1.0	11	2	13	2.8	1.6	2.6

¹ Annual average for 5-year period.TABLE 15.—*Deaths in the District of Columbia from cancers and other malignant tumors, by race and sex, for the years mentioned below*

Calendar year	White		Colored		Total		
	Male	Female	Male	Female	Male	Female	All
1901-1905 ¹	61	105	14	39	75	144	219
1906-1910 ¹	88	124	17	47	105	171	276
1911-1915 ¹	104	156	26	53	130	209	339
1916-1920 ¹	128	195	29	60	157	255	412
1921.....	166	224	41	66	207	290	497
1922.....	163	218	31	74	194	292	486
1923.....	167	218	33	65	200	283	483
1924.....	174	229	50	80	224	309	533
1925.....	196	237	44	78	240	315	555

¹ Annual average for 5-year period.TABLE 16.—*Deaths in the District of Columbia from cancers and other malignant growths arranged with reference to sex, race, marital relations, age, and organs involved during the calendar year 1925*

Location	White		Colored		Marital relations			Age											
	Total	Male	Female	Male	Female	Married or widowed	Single	Unknown	Under 5 years	5 to 9 years	10 to 19 years	20 to 29 years	30 to 39 years	40 to 49 years	50 to 59 years	60 to 69 years	70 to 79 years	80 to 89 years	90 years and over
Cancer and other malignant tumors of the buccal cavity:																			
Jaw.....	3	2	1	0	0	2	1	0	0	0	0	0	0	0	2	1	0	0	0
Lip.....	4	4	0	0	0	1	3	0	0	0	0	0	0	0	1	2	0	0	0
Mouth.....	1	1	0	0	0	1	0	0	0	0	0	0	0	0	0	0	0	0	0
Palate.....	1	1	0	0	0	1	0	0	0	0	0	0	0	0	0	0	0	1	0
Tongue.....	8	6	0	1	1	6	2	0	0	0	0	0	0	1	4	3	0	0	0
Tonsil.....	4	3	0	1	0	4	0	0	0	0	0	0	0	1	0	2	1	0	0
Metastasis general.....	3	1	2	0	0	3	0	0	0	0	0	1	0	1	1	0	0	0	0
Cancer and other malignant tumors of the stomach and liver:																			
Esophagus.....	11	8	2	1	0	8	3	0	0	0	0	0	0	0	4	3	4	0	0
Gall bladder.....	1	0	1	0	0	1	0	0	0	0	0	0	0	0	1	0	0	0	0
Hepatic.....	2	1	0	0	1	0	1	1	0	0	0	0	0	0	1	1	0	0	0
Liver.....	55	14	35	4	2	45	10	0	1	0	0	0	2	6	8	19	14	4	1
Liver, gall bladder, stomach.....	2	1	0	1	0	2	0	0	0	0	0	0	0	1	1	0	0	0	0
Pharynx.....	2	2	0	0	0	1	0	1	0	0	0	0	0	0	1	0	1	0	0
Pylorus.....	1	0	0	0	1	0	1	0	0	0	0	0	1	0	0	0	0	0	0
Stomach.....	118	42	39	20	17	101	13	4	0	0	0	0	3	20	37	30	23	5	0
Throat.....	3	3	0	0	0	2	1	0	0	0	0	0	0	1	0	0	2	0	0

TABLE 16.—Deaths in the District of Columbia from cancers and other malignant growths arranged with reference to sex, race, marital relations, age, and organs involved during the calendar year 1925—Continued

Location	Total	White		Colored		Marital relations			Age										
		Male	Female	Male	Female	Married or widowed	Single	Unknown	Under 5 years	5 to 9 years	10 to 19 years	20 to 29 years	30 to 39 years	40 to 49 years	50 to 59 years	60 to 69 years	70 to 79 years	80 to 89 years	90 years and over
Cancer and malignant tumors of peritoneum, intestines, rectum:																			
Abdominal viscera.....	2	1	1	0	0	1	1	0	0	0	0	0	1	0	1	0	0	0	0
Cachexia.....	1	1	0	0	0	1	0	0	0	0	0	0	0	0	0	0	1	0	0
Cecum.....	3	1	1	1	0	2	1	0	0	0	0	0	0	1	1	0	1	0	0
Colon.....	13	4	8	1	0	11	2	0	0	0	0	1	0	2	2	4	3	0	1
Duodenum.....	3	0	3	0	0	2	1	0	0	0	0	0	0	0	0	1	2	0	0
Intestines.....	9	2	7	0	0	7	2	0	0	0	0	0	0	1	2	5	0	1	0
Rectum.....	29	7	16	2	4	28	1	0	0	0	0	1	2	1	6	11	6	2	0
Sigmoid.....	4	2	1	0	1	4	0	0	0	0	0	1	0	0	0	2	1	0	0
Mesentery.....	1	1	0	0	0	1	0	0	0	0	0	0	0	1	0	0	0	0	0
Omentum.....	1	0	1	0	0	1	0	0	0	0	0	0	0	0	0	0	0	1	0
Ileum.....	1	1	0	0	0	1	0	0	0	0	0	1	0	0	0	0	0	0	0
Lymphosarcoma.....	1	0	0	0	1	0	1	0	0	0	1	0	0	0	0	0	0	0	0
Retroperitoneal.....	1	0	0	0	1	1	0	0	0	0	0	0	0	1	0	0	0	0	0
Cancer and other malignant tumors of the female genital organs:																			
Cervical glands.....	1	0	0	1	0	0	0	1	0	0	0	0	0	1	0	0	0	0	0
Ovary.....	4	0	3	0	1	3	1	0	0	0	0	0	1	1	1	1	0	0	0
Uterus.....	64	0	41	0	23	58	5	1	0	0	0	1	12	14	13	12	11	0	1
Vagina.....	1	0	1	0	0	1	0	0	0	0	0	0	0	0	1	0	0	0	0
Cancer and other malignant tumors of the breast:																			
Breast.....	44	0	32	0	12	36	8	0	0	0	0	1	5	12	10	5	7	3	1
Mammary.....	2	0	1	0	1	2	0	0	0	0	0	0	0	0	1	1	0	0	0
Cancers and other malignant tumors of the skin:																			
Eye.....	1	1	0	0	0	1	0	0	0	0	0	0	0	0	0	0	1	0	0
Face.....	5	4	1	0	0	5	0	0	0	0	0	0	0	0	1	0	1	2	0
Nose.....	1	0	0	0	1	1	0	0	0	0	0	0	0	0	1	0	0	0	0
Scalp.....	1	1	0	0	0	1	0	0	0	0	0	0	0	0	1	0	0	0	0
Cancer and other malignant tumors of other or unspecified organs:																			
Abdomen.....	5	1	2	1	1	4	1	0	0	0	0	1	0	2	0	1	1	0	0
Brain.....	2	0	1	0	1	2	0	0	0	0	0	0	0	1	0	1	0	0	0
Bladder.....	34	19	11	1	3	30	3	1	0	0	0	0	0	2	8	11	9	3	1
Cervical glands.....	2	2	0	0	0	2	0	0	0	0	0	0	0	0	0	2	0	0	0
Femur.....	2	1	1	0	0	0	2	0	0	0	0	0	0	0	0	0	0	0	0
Kidney.....	6	3	3	0	0	4	1	1	0	0	0	1	0	0	1	0	0	0	0
Knee.....	1	1	0	0	0	0	1	0	0	0	0	1	0	0	0	2	3	0	0
Larynx.....	5	4	0	0	1	5	0	0	0	0	0	0	0	0	0	3	2	0	0
Lymphosarcoma cervical glands.....	1	0	0	1	0	0	1	0	0	0	0	0	0	0	0	1	0	0	0
Lung.....	16	9	5	2	0	16	0	0	0	0	0	0	1	2	6	5	2	0	0
Mediastinal.....	1	0	0	0	1	1	0	0	0	0	0	0	0	0	0	1	0	0	0
Neck.....	5	4	1	0	0	4	0	1	0	0	0	0	1	1	1	1	1	0	0
Nerve.....	1	1	0	0	0	1	0	0	0	0	0	0	0	1	0	0	0	0	0
Pancreas.....	12	6	3	1	2	8	3	1	0	0	0	1	0	2	1	7	1	0	0
Pelvis.....	4	0	3	0	1	4	0	0	0	0	0	0	0	2	2	0	0	0	0
Penis.....	2	1	0	1	0	2	0	0	0	0	0	0	0	0	1	1	0	0	0
Peritoneum.....	1	0	1	0	0	1	0	0	0	0	0	0	0	0	1	0	0	0	0
Prostate.....	16	13	0	3	0	14	2	0	0	0	0	0	0	0	4	7	2	3	0
Spine.....	5	3	1	0	1	5	0	0	0	0	0	0	1	0	1	2	0	1	0
Testicle.....	4	4	0	0	0	0	1	3	0	0	0	0	0	4	0	0	0	0	0
Sarcoma malignant lymphomata.....	2	2	0	0	0	2	0	0	0	0	0	0	1	0	1	0	0	0	0
Sarcoma right thigh.....	1	1	0	0	0	1	0	0	0	0	0	0	0	0	1	0	0	0	0
Carcinoma left plura.....	1	0	1	0	0	1	0	0	0	0	0	0	0	0	0	1	0	0	0
Carcinoma primary.....	1	0	1	0	0	0	1	0	0	0	0	0	0	0	1	0	0	0	0
Carcinoma thyroid.....	1	0	1	0	0	0	0	1	0	0	0	0	0	0	0	1	0	0	0
Adeno carcinoma pituitary gland.....	1	1	0	0	0	1	0	0	0	0	0	0	0	0	0	0	1	0	0
General carcinomatosis.....	11	5	5	1	0	8	2	1	0	0	0	0	0	0	0	1	1	0	0
Total.....	555	190	237	44	78	462	76	17	1	0	2	10	36	85	142	151	98	25	5

TABLE 17.—*Anterior poliomyelitis, acute: Deaths and death rates, cases and case rates, per 100,000 population, and percentage of deaths to cases, according to race, from 1912 to 1925, inclusive*

Year	Deaths			Death rates per 100,000			Cases			Case rate per 100,000			Percentage of deaths to cases		
	W.	C.	Total	W.	C.	Total	W.	C.	Total	W.	C.	Total	W.	C.	Total
1912-1915 ¹	---	2	2	---	2.0	0.6	5	2	7	2.0	2.0	2.0	---	100.0	28.6
1916-1920 ¹	2	---	2	0.6	---	.6	10	2	12	3.2	1.9	2.9	20.0	---	16.6
1921	6	1	7	1.7	.9	1.5	37	3	40	10.8	2.7	8.8	16.2	33.3	17.5
1922	---	---	---	---	---	---	5	0	5	1.4	0	1.1	---	---	---
1923	1	---	1	.3	---	.2	16	3	19	4.7	2.7	4.2	6.2	---	5.3
1924	1	0	1	.3	0	.2	23	0	23	6.2	0	4.7	4.3	0	4.3
1925	4	0	4	1.1	0	0.8	21	1	22	5.6	1.0	4.4	19.0	0	18.2

¹ Average for 5-year period.TABLE 17A.—*Anterior poliomyelitis: Reported cases and deaths, by race and by months, during the calendar year 1925*

Month	White		Colored		Total	
	Cases	Deaths	Cases	Deaths	Cases	Deaths
January	0	0	0	0	0	0
February	0	0	0	0	0	0
March	1	0	0	0	1	0
April	1	1	0	0	1	1
May	0	0	0	0	0	0
June	0	0	0	0	0	0
July	2	0	0	0	2	0
August	4	0	0	0	4	0
September	4	0	0	0	4	0
October	6	2	1	0	7	2
November	2	1	0	0	2	1
December	1	0	0	0	1	0
Total	21	4	1	0	22	4

TABLE 17B.—*Anterior poliomyelitis: Cases and deaths, with percentage of deaths to cases, at certain age periods, during the calendar year 1925*

Age	White			Colored			Total		
	Cases	Deaths	Percentage of deaths to cases	Cases	Deaths	Percentage of deaths to cases	Cases	Deaths	Percentage of deaths to cases
Under 1 year	1	1	100	0	0	0	1	1	100
1 to 4 years	5	0	0	0	0	0	5	0	0
5 to 9 years	5	0	0	1	0	0	6	0	0
10 to 19 years	8	2	25	0	0	0	8	2	25
20 to 29 years	0	0	0	0	0	0	0	0	0
30 to 39 years	1	0	0	0	0	0	1	0	0
40 to 49 years	0	0	0	0	0	0	0	0	0
50 to 59 years	0	0	0	0	0	0	0	0	0
60 to 69 years	1	1	100	0	0	0	1	1	100
70 years and over	0	0	0	0	0	0	0	0	0
Total	21	4	19	1	0	0	22	4	18.2

TABLE 18.—*Chicken pox: Deaths and death rates, cases and case rates, per 100,000 population, and percentage of deaths to cases, according to race, from 1907 to 1925, inclusive*

Year	Deaths			Death rates per 100,000			Cases			Case rate per 100,000			Percentage of deaths to cases		
	W.	C.	Total	W.	C.	Total	W.	C.	Total	W.	C.	Total	W.	C.	Total
1907-1910.....	0.25		0.25				478	103	581	196.8	106.3	171.0	0.05		0.4
1911-1915 ¹							726	174	900	284.5	177.0	254.6			
1916-1920 ¹							943	175	1,118	307.1	164.8	270.5			
1921.....							1,006	134	1,240	294.4	119.2	251.1			
1922.....							969	217	1,186	283.6	193.1	261.2			
1923.....							1,133	128	1,261	331.6	113.9	277.7			
1924.....	0	0	0	0	0	0	1,378	247	1,625	373.5	209.3	333.1	0	0	0
1925.....	0	0	0	0	0	0	701	75	776	185.3	62.7	155.9	0	0	0

¹ Annual average for 5-year period.TABLE 18A.—*Chicken pox: Reported cases and deaths, by race and by months, during the calendar year 1925*

Month	White		Colored		Total	
	Cases	Deaths	Cases	Deaths	Cases	Deaths
January.....	171	0	8	0	179	0
February.....	105	0	8	0	113	0
March.....	87	0	10	0	97	0
April.....	78	0	10	0	88	0
May.....	33	0	14	0	47	0
June.....	16	0	2	0	18	0
July.....	5	0	1	0	6	0
August.....	3	0	2	0	5	0
September.....	2	0	0	0	2	0
October.....	21	0	4	0	25	0
November.....	82	0	6	0	88	0
December.....	98	0	10	0	108	0
Total.....	701	0	75	0	776	0

TABLE 18B.—*Chicken pox: Cases and deaths, with percentage of deaths to cases, at certain age periods, during the calendar year 1925*

Age	White			Colored			Total		
	Cases	Deaths	Percent- age of deaths to cases	Cases	Deaths	Percent- age of deaths to cases	Cases	Deaths	Percent- age of deaths to cases
Under 1 year.....	33	0	0	2	0	0	35	0	0
1 to 4 years.....	183	0	0	18	0	0	201	0	0
5 to 9 years.....	365	0	0	38	0	0	403	0	0
10 to 19 years.....	83	0	0	10	0	0	93	0	0
20 to 29 years.....	22	0	0	7	0	0	29	0	0
30 to 39 years.....	10	0	0	0	0	0	10	0	0
40 to 49 years.....	3	0	0	0	0	0	3	0	0
50 to 59 years.....	2	0	0	0	0	0	2	0	0
60 to 69 years.....	0	0	0	0	0	0	0	0	0
70 years and over.....	0	0	0	0	0	0	0	0	0
Total.....	701	0	0	75	0	0	776	0	0

TABLE 19.—*Diphtheria: Deaths and death rates, cases and case rate, per 100,000 population, and percentage of deaths to cases, according to race, from 1901 to 1925, inclusive.*

Year	Deaths			Death rates per 100,000			Cases			Case rate per 100,000			Percentage of deaths to cases		
	W.	C.	Total	W.	C.	Total	W.	C.	Total	W.	C.	Total	W.	C.	Total
1901-1905 ¹	37	17	54	17.0	18.0	17.0									
1905-1910 ¹	24	8	32	10.0	8.0	10.0	391	61	452	166.2	61.2	133.5	6.1	13.1	7.1
1911-1915 ¹	20	4	24	7.8	4.1	6.8	402	105	507	157.5	106.8	140.6	4.8	3.8	4.7
1916-1920 ¹	46	12	58	14.9	11.3	13.7	711	125	836	231.6	117.7	202.3	6.5	9.6	6.9
1921	52	5	57	15.2	4.5	12.5	863	72	935	252.6	64.1	205.9	6.0	6.9	6.1
1922	39	5	44	11.4	4.4	9.7	623	112	735	181.8	99.7	161.9	6.3	4.5	5.9
1923	36	6	42	10.0	5.2	8.8	497	68	565	145.5	60.5	124.4	7.2	8.8	7.4
1924	26	4	30	7.0	3.4	6.2	352	46	398	95.4	38.9	81.7	7.4	8.7	7.5
1925	24	13	37	6.3	10.9	7.4	511	174	685	135.1	145.4	137.6	4.7	7.5	5.4

¹ Average for 5-year period.TABLE 19A.—*Diphtheria: Reported cases and deaths, by race and by months, during the calendar year 1925*

Month	White		Colored		Total	
	Cases	Deaths	Cases	Deaths	Cases	Deaths
January.....	52	1	23	3	75	4
February.....	53	5	30	0	83	5
March.....	42	3	8	0	50	3
April.....	23	1	7	3	30	4
May.....	45	1	20	0	65	1
June.....	25	3	6	0	31	3
July.....	12	0	8	1	20	1
August.....	13	3	4	3	17	6
September.....	18	1	13	2	31	3
October.....	39	2	20	0	59	2
November.....	96	4	21	1	117	5
December.....	93	0	14	0	107	0
Total.....	511	24	174	13	685	37

TABLE 19B.—*Diphtheria: Cases and deaths, with percentage of deaths to cases, at certain age periods, during the calendar year 1925*

Age	White			Colored			Total		
	Cases	Deaths	Percent-age of deaths to cases	Cases	Deaths	Percent-age of deaths to cases	Cases	Deaths	Percent-age of deaths to cases
Under 1 year.....	19	2	10.5	9	1	11.1	28	3	10.7
1 to 4 years.....	114	8	7.0	35	5	14.3	149	13	8.7
5 to 9 years.....	194	10	5.2	48	3	6.3	242	13	5.5
10 to 19 years.....	119	1	.8	66	0	0	185	1	.5
20 to 29 years.....	44	0	0	8	2	25	52	2	3.8
30 to 39 years.....	9	1	11.1	4	1	25	13	2	15.4
40 to 49 years.....	8	1	12.5	1	1	100	9	2	22.2
50 to 59 years.....	2	0	0	3	0	0	5	0	0
60 to 69 years.....	1	1	100	0	0	0	1	1	100
70 years and over.....	1	0	0	0	0	0	1	0	0
Total.....	511	24	4.7	174	13	7.5	685	37	5.4

TABLE 20.—*Measles: Deaths and death rates, cases and case rates, per 100,000 population and percentage of deaths to cases, according to race, from 1901 to 1925 inclusive*

Year	Deaths			Death rates per 100,000			Cases			Case rate per 100,000			Percentage of deaths to cases		
	W.	C.	Total	W.	C.	Total	W.	C.	Total	W.	C.	Total	W.	C.	Total
1901-1905 ¹	10	5	15	5.0	5.0	5.0	-----	-----	-----	-----	-----	-----	-----	-----	-----
1906-1910 ¹	10	5	15	4.0	5.0	4.0	-----	-----	-----	-----	-----	-----	-----	-----	-----
1911-1915 ¹	8	3	11	3.1	3.1	3.1	2,188	549	2,737	857.5	558.6	774.4	0.4	0.5	0.4
1916-1920 ¹	12	2	14	3.9	1.9	3.4	2,486	357	4,843	809.5	336.2	687.1	.5	.6	.5
1921.....	9	2	11	2.6	1.8	2.4	3,489	668	4,157	1,021.2	594.5	915.6	.2	.3	.2
1922.....	-----	-----	-----	-----	-----	-----	424	79	503	124.1	70.3	110.8	-----	-----	-----
1923.....	27	7	34	7.5	6.0	7.1	6,748	862	7,610	1,975.0	767.1	1,676.1	.4	.8	.4
1924.....	2	1	3	.5	.8	.6	382	43	425	103.5	36.4	87.3	.5	2.3	.7
1925.....	1	3	4	.3	2.5	.8	444	350	794	117.4	292.5	159.5	.2	.8	.5

¹ Annual average for 5-year period.TABLE 20A.—*Measles: Reported cases and deaths, by race and by months, during the calendar year 1925*

Month	White		Colored		Total	
	Cases	Deaths	Cases	Deaths	Cases	Deaths
January.....	42	0	2	0	44	0
February.....	30	0	10	0	40	0
March.....	67	0	57	0	124	0
April.....	85	1	109	1	194	2
May.....	59	0	92	0	151	0
June.....	68	0	37	1	105	1
July.....	46	0	22	0	68	0
August.....	5	0	8	0	13	0
September.....	8	0	0	0	8	0
October.....	2	0	6	1	8	1
November.....	11	0	2	0	13	0
December.....	21	0	5	0	26	0
Total.....	444	1	350	3	794	4

TABLE 20B.—*Measles: Cases and deaths, with percentage of deaths to cases, at certain age periods, during the calendar year 1925*

Age	White			Colored			Total		
	Cases	Deaths	Percent- age of deaths to cases	Cases	Deaths	Percent- age of deaths to cases	Cases	Deaths	Percent- age of deaths to cases
Under 1 year.....	27	0	0	11	0	0	38	0	0
1 to 4 years.....	131	0	0	107	1	.9	238	1	.4
5 to 9 years.....	204	1	0.5	164	1	.6	368	2	.5
10 to 19 years.....	56	0	0	50	1	2	106	1	.9
20 to 29 years.....	20	0	0	16	0	0	36	0	0
30 to 39 years.....	4	0	0	1	0	0	5	0	0
40 to 49 years.....	1	0	0	0	0	0	1	0	0
50 to 59 years.....	0	0	0	1	0	0	1	0	0
60 to 69 years.....	0	0	0	0	0	0	0	0	0
70 years and over.....	0	0	0	0	0	0	0	0	0
Total.....	443	1	0.2	350	3	.9	793	4	.5

TABLE 21.—*Meningitis, epidemic cerebrospinal: Deaths and death rates, cases and case rates, per 100,000 population, and percentage of deaths to cases, according to race, from 1901 to 1925, inclusive*

Year	Deaths			Death rates per 100,000			Cases			Case rate per 100,000			Percentage of deaths to cases		
	W.	C.	Total	W.	C.	Total	W.	C.	Total	W.	C.	Total	W.	C.	Total
1901-1905 ¹	6	4	10	2.8	4.3	3.2	---	---	---	---	---	---	---	---	---
1906-1910 ¹	9	7	16	3.7	7.2	4.7	---	---	---	---	---	---	---	---	---
1911-1915 ¹	3	1	4	1.2	1.0	1.1	4	2	6	1.6	2.0	1.7	75.0	50.0	66.6
1916-1920 ¹	8	4	12	2.6	3.8	2.9	26	9	35	8.4	8.4	8.4	30.8	44.4	34.3
1921.....	3	1	4	.9	.9	.9	7	1	8	2.0	.9	1.8	42.9	100.0	50.0
1922 ²	1	---	1	.3	---	.2	2	---	2	.5	---	.4	50.0	---	50.0
1923.....	2	4	6	.6	3.5	1.3	5	3	8	1.5	2.7	1.8	40.0	---	75.0
1924.....	0	0	0	0	0	0	1	1	2	.3	.8	1.0	0	0	0
1925.....	0	1	1	---	.8	.2	1	3	4	.3	2.5	.8	0	33.3	25.0

¹ Average for 5-year period.² One case reported in 1922 died in January, 1923.TABLE 21A.—*Meningitis, epidemic cerebrospinal: Reported cases and deaths, by race and by months, during the calendar year 1925*

Month	White		Colored		Total	
	Cases	Deaths	Cases	Deaths	Cases	Deaths
January.....	0	0	1	0	1	0
February.....	0	0	0	0	0	0
March.....	1	0	0	0	1	0
April.....	0	0	2	0	2	0
May.....	0	0	0	0	0	0
June.....	0	0	0	1	0	1
July.....	0	0	0	0	0	0
August.....	0	0	0	0	0	0
September.....	0	0	0	0	0	0
October.....	0	0	0	0	0	0
November.....	0	0	0	0	0	0
December.....	0	0	0	0	0	0
Total.....	1	0	3	1	4	1

TABLE 21B.—*Meningitis, epidemic cerebrospinal: Cases and deaths, with percentage of deaths to cases, at certain age periods, during the calendar year 1925*

Age	White			Colored			Total		
	Cases	Deaths	Percent- age of deaths to cases	Cases	Deaths	Percent- age of deaths to cases	Cases	Deaths	Percent- age of deaths to cases
Under 1 year.....	0	0	0	0	0	0	0	0	0
1 to 4 years.....	0	0	0	2	1	50	2	1	50
5 to 9 years.....	0	0	0	1	0	0	1	0	0
10 to 19 years.....	1	0	0	0	0	0	1	0	0
20 to 29 years.....	0	0	0	0	0	0	0	0	0
30 to 39 years.....	0	0	0	0	0	0	0	0	0
40 to 49 years.....	0	0	0	0	0	0	0	0	0
50 to 59 years.....	0	0	0	0	0	0	0	0	0
60 to 69 years.....	0	0	0	0	0	0	0	0	0
70 years and over.....	0	0	0	0	0	0	0	0	0
Total.....	1	0	0	3	1	33.3	4	1	25

TABLE 22.—Pellagra: Deaths and death rates, cases and case rates, per 100,000 population and percentage of deaths to cases, according to race, from 1913 to 1925, inclusive

Year	Deaths			Death rates per 100,000			Cases			Case rate per 100,000			Percentage of deaths to cases		
	W.	C.	Total	W.	C.	Total	W.	C.	Total	W.	C.	Total	W.	C.	Total
1913-1915 ¹	2	9	11	0.8	9.2	3.1	4	12	16	1.6	12.2	4.5	50.0	75.0	68.8
1916-1920 ¹	5	4	9	1.6	3.7	2.2	7	6	13	2.3	5.7	3.1	71.4	66.7	69.2
1921.....	2	1	3	.6	.9	.7	4	1	5	1.2	1.0	1.1	50.0	100.0	60.0
1922.....	1	1	2	.3	.9	.4	1	1	2	.3	.9	.4	100.0	100.0	100.0
1923.....	0	1	1	0	.8	.2	0	1	1	0	.1	.2	0	100.0	100.0
1924.....	1	1	2	.3	.8	.4	1	2	3	.3	.1	.4	100.0	50.0	66.6
1925.....	1	1	2	.3	.8	.4	1	2	3	.3	.1	.4	100.0	50.0	66.6

¹ Annual average for 5-year period.

TABLE 22A.—Pellagra: Reported cases and deaths, by race and by months, during the calendar year 1925

Month	White		Colored		Total	
	Cases	Deaths	Cases	Deaths	Cases	Deaths
January.....	0	0	1	0	1	0
February.....	0	0	0	0	0	0
March.....	0	0	0	0	0	0
April.....	0	0	0	0	0	0
May.....	0	0	0	0	0	0
June.....	0	0	0	0	0	0
July.....	0	0	0	0	0	0
August.....	0	0	0	0	0	0
September.....	0	0	0	0	0	0
October.....	0	0	0	0	0	0
November.....	0	0	0	0	0	0
December.....	1	1	1	1	2	2
Total.....	1	1	2	1	3	2

TABLE 22B.—Pellagra: Cases and deaths, with percentage of deaths to cases, at certain age periods, during the calendar year 1925

Age	White			Colored			Total		
	Cases	Deaths	Percent- age of deaths to cases	Cases	Deaths	Percent- age of deaths to cases	Cases	Deaths	Percent- age of deaths to cases
Under 1 year.....	0	0	0	0	0	0	0	0	0
1 to 4 years.....	0	0	0	0	0	0	0	0	0
5 to 9 years.....	0	0	0	0	0	0	0	0	0
10 to 19 years.....	0	0	0	0	0	0	0	0	0
20 to 29 years.....	0	0	0	1	0	0	1	0	0
30 to 39 years.....	1	1	100	0	0	0	1	1	100
40 to 49 years.....	0	0	0	1	1	100	1	1	100
50 to 59 years.....	0	0	0	0	0	0	0	0	0
60 to 69 years.....	0	0	0	0	0	0	0	0	0
70 years and over.....	0	0	0	0	0	0	0	0	0
Total.....	1	1	100	2	1	50	3	2	66.6

TABLE 23.—*Scarlet fever: Deaths and death rates, cases and case rates, per 100,000 population, and percentage of deaths to cases, according to race, from 1901 to 1925, inclusive*

Year	Deaths			Death rates per 100,000			Cases			Case rate per 100,000			Percentage of deaths to cases		
	W.	C.	Total	W.	C.	Total	W.	C.	Total	W.	C.	Total	W.	C.	Total
1901-1905 ¹	7	1	8	3.0	1.0	3.0	---	---	---	---	---	---	---	---	---
1906-1910 ¹	9	2	11	4.0	2.0	3.0	480	46	526	199.5	48.0	154.9	1.9	4.3	2.1
1911-1915 ¹	6	0	6	2.3	.4	1.7	402	36	438	157.5	36.6	123.9	1.5	1.1	1.4
1916-1920 ¹	8	0	8	2.6	.3	1.9	621	66	687	202.2	62.2	166.2	1.3	---	1.2
1921	8	1	9	2.3	.9	2.0	785	68	853	229.8	60.5	187.9	1.0	1.5	1.1
1922	3	---	3	.8	---	.7	395	83	478	115.6	73.9	105.3	.8	---	.6
1923	9	2	11	2.5	1.7	2.3	905	93	998	264.9	92.8	219.8	1.0	2.2	1.1
1924	7	1	8	1.9	.8	1.6	1,167	93	1,260	316.3	78.8	258.8	.6	1.1	.6
1925	4	1	5	1.0	.8	1.0	930	81	1,011	244.6	67.7	203.1	.4	1.2	.5

¹ Average for 5-year period.TABLE 23A.—*Scarlet fever: Reported cases and deaths, by race and by months, during the calendar year 1925*

Month	White		Colored		Total	
	Cases	Deaths	Cases	Deaths	Cases	Deaths
January	117	0	17	1	134	1
February	136	1	12	0	148	1
March	128	2	4	0	132	2
April	99	0	7	0	106	0
May	84	0	8	0	92	0
June	42	0	2	0	44	0
July	16	0	2	0	18	0
August	20	0	1	0	21	0
September	28	0	4	0	32	0
October	88	1	5	0	93	1
November	90	0	12	0	102	0
December	82	0	7	0	89	0
Total	930	4	81	1	1,011	5

TABLE 23B.—*Scarlet fever: Cases and deaths, with percentage of deaths to cases, at certain age periods, during the calendar year 1925*

Age	White			Colored			Total		
	Cases	Deaths	Percent- age of deaths to cases	Cases	Deaths	Percent- age of deaths to cases	Cases	Deaths	Percent- age of deaths to cases
Under 1 year	32	0	0	1	0	0	33	0	0
1 to 4 years	231	3	1.3	19	0	0	250	3	1.2
5 to 9 years	376	1	.3	30	0	0	406	1	.2
10 to 19 years	180	0	0	21	0	0	201	0	0
20 to 29 years	73	0	0	4	1	25	77	1	1.3
30 to 39 years	29	0	0	4	0	0	33	0	0
40 to 49 years	7	0	0	2	0	0	9	0	0
50 to 59 years	2	0	0	0	0	0	2	0	0
60 to 69 years	0	0	0	0	0	0	0	0	0
70 years and over	0	0	0	0	0	0	0	0	0
Total	930	4	.4	81	1	1	1,011	5	.5

TABLE 24.—*Smallpox: Deaths and death rates, cases and case rates, per 100,000 population, and percentage of deaths to cases, according to race, from 1901 to 1925, inclusive*

Year	Deaths			Death rate per 100,000			Cases			Case rate per 100,000			Percentage of deaths to cases		
	W.	C.	Total	W.	C.	Total	W.	C.	Total	W.	C.	Total	W.	C.	Total
1901-1905 ¹	1	4	3	0.5	2.1	1.0	28	53	81	11.1	54.6	24.1	-----	-----	-----
1906-1910 ¹	4	2	8	.2	.4	.2	19	51	70	7.4	51.9	19.8	-----	-----	-----
1911-1915 ¹	-----	-----	-----	-----	-----	-----	21	44	65	6.9	41.4	15.7	4.7	-----	1.5
1916-1920 ¹	1	-----	1	.3	-----	.2	42	24	66	12.3	21.4	14.5	-----	-----	-----
1921.....	-----	-----	-----	-----	-----	-----	24	42	66	7.0	37.3	14.5	-----	-----	-----
1922.....	-----	-----	-----	-----	-----	-----	8	60	68	2.3	53.4	15.0	-----	-----	-----
1923.....	-----	-----	-----	-----	-----	-----	17	130	147	4.6	110.1	30.2	0	0	0
1924.....	0	0	0	0	0	0	44	15	59	11.7	12.5	11.8	36.4	26.7	33.9
1925.....	16	4	20	4.2	3.3	4.0	-----	-----	-----	-----	-----	-----	-----	-----	-----

¹ Annual average for 5-year period.TABLE 24A.—*Smallpox: Reported cases and deaths, by race and by months, during the calendar year 1925*

Month	White		Colored		Total	
	Cases	Deaths	Cases	Deaths	Cases	Deaths
January.....	11	2	0	0	11	2
February.....	7	3	2	0	9	3
March.....	3	1	4	0	7	1
April.....	20	9	6	4	26	13
May.....	2	1	2	0	4	1
June.....	1	0	1	0	2	0
July.....	0	0	0	0	0	0
August.....	0	0	0	0	0	0
September.....	0	0	0	0	0	0
October.....	0	0	0	0	0	0
November.....	0	0	0	0	0	0
December.....	0	0	0	0	0	0
Total.....	44	16	15	4	59	20

TABLE 24B.—*Smallpox: Cases and deaths, with percentage of deaths to cases, at certain age periods, during the calendar year 1925*

Age	White			Colored			Total		
	Cases	Deaths	Percent- age of deaths to cases	Cases	Deaths	Percent- age of deaths to cases	Cases	Deaths	Percent- age of deaths to cases
Under 1 year.....	1	1	100	0	0	0	1	1	100
1 to 4 years.....	2	1	50	1	0	0	3	1	33.3
5 to 9 years.....	0	0	0	1	0	0	1	0	0
10 to 19 years.....	4	0	0	1	0	0	5	0	0
20 to 29 years.....	16	2	12.5	6	1	16.7	22	3	13.6
30 to 39 years.....	12	5	41.7	1	1	100	13	6	46.2
40 to 49 years.....	6	5	83.3	3	1	33.3	9	6	66.6
50 to 59 years.....	3	2	66.6	1	1	100	4	3	75.0
60 to 69 years.....	0	0	0	0	0	0	0	0	0
70 years and over.....	1	0	0	0	0	0	1	0	0
Total.....	45	16	35.5	14	4	28.6	59	20	33.9

TABLE 25.—*Tuberculosis, reportable forms: Deaths and death rates, cases and case rates, per 100,000 population, and percentage of deaths to cases, according to race, from 1908 to 1925, inclusive*

Year	Deaths			Death rate per 100,000			Cases			Case rate per 100,000			Percentage of deaths to cases		
	W.	C.	Total	W.	C.	Total	W.	C.	Total	W.	C.	Total	W.	C.	Total
1908-1910.....	277	392	669	112.8	402.4	195.1	570	637	1,207	231.7	654.1	351.5	48.6	61.6	55.5
1911-1915 ¹	318	429	747	124.6	436.5	211.3	567	587	1,154	222.2	597.3	326.5	56.1	73.1	64.7
1916-1920 ¹	296	342	638	96.4	322.1	154.4	636	485	1,121	207.1	456.7	271.3	46.5	70.5	56.9
1921.....	156	213	369	45.7	189.5	81.3	788	479	1,267	230.6	426.3	279.1	19.8	44.5	29.1
1922.....	266	269	535	77.9	239.4	117.8	860	475	1,335	251.7	422.7	294.0	30.9	56.6	40.1
1923.....	260	287	547	72.3	246.6	114.9	864	433	1,297	252.9	385.4	285.7	30.1	66.3	42.2
1924.....	234	326	560	63.4	276.2	115.0	814	512	1,326	220.6	433.0	272.3	28.7	63.7	42.2
1925.....	209	339	548	55.3	283.3	110.1	705	533	1,238	186.4	445.5	248.6	29.6	63.6	44.3

¹ Average for 5-year period.TABLE 25A.—*Tuberculosis, reportable forms: Reported cases and deaths, by race and by months, during the calendar year 1925*

Month	White		Colored		Total	
	Cases	Deaths	Cases	Deaths	Cases	Deaths
January.....	59	13	43	20	102	33
February.....	61	19	63	25	124	44
March.....	70	27	37	33	107	60
April.....	89	23	52	31	141	54
May.....	64	16	43	32	107	48
June.....	53	15	58	38	111	53
July.....	56	14	67	35	123	49
August.....	56	20	28	26	84	46
September.....	50	12	34	33	84	45
October.....	58	11	22	16	80	27
November.....	55	23	39	20	94	43
December.....	34	16	47	30	81	46
Total.....	705	209	533	339	1,238	548

TABLE 25B.—*Tuberculosis, reportable forms: Cases and deaths, with percentage of deaths to cases, at certain age periods, during the calendar year 1925*

Age	White			Colored			Total		
	Cases	Deaths	Percent- age of deaths to cases	Cases	Deaths	Percent- age of deaths to cases	Cases	Deaths	Percent- age of deaths to cases
Under 1 year ¹	2	4	100	8	10	100	10	14	100
1 to 4 years.....	7	7	100	21	21	100	28	28	100
5 to 9 years.....	14	1	7.1	15	7	46.7	29	8	27.6
10 to 19 years.....	47	7	14.9	78	34	43.6	125	41	32.8
20 to 29 years.....	220	53	24.1	171	99	57.9	391	152	38.9
30 to 39 years.....	210	31	14.8	124	81	65.3	334	112	33.5
40 to 49 years.....	90	44	48.9	68	48	70.6	158	92	58.2
50 to 59 years.....	66	29	43.9	27	21	77.8	93	50	53.8
60 to 69 years.....	31	15	48.4	16	14	87.5	47	29	61.7
70 years and over.....	18	18	100	5	4	80	23	22	95.7
Total.....	705	209	29.6	533	339	63.6	1,238	548	44.2

¹ In addition to the above cases 2 white and 2 colored under 1 year were reported in the calendar year 1924.

TABLE 26.—*Pulmonary tuberculosis: Reported cases and deaths, by race and by months, during the calendar year 1925*

Month	White		Colored		Total	
	Cases	Deaths	Cases	Deaths	Cases	Deaths
January.....	58	12	39	15	97	27
February.....	59	17	58	22	117	39
March.....	70	26	35	31	105	57
April.....	86	18	50	29	136	47
May.....	62	14	39	25	101	39
June.....	53	12	56	29	109	41
July.....	55	12	26	22	81	41
August.....	55	19	26	32	82	44
September.....	49	12	33	32	82	44
October.....	55	8	19	13	74	21
November.....	54	23	39	18	93	41
December.....	34	13	45	28	79	41
Total.....	690	186	501	293	1,191	479

TABLE 26B.—*Pulmonary tuberculosis: Cases and deaths, with percentage of deaths to cases, at certain age periods, during the calendar year 1925*

Age	White			Colored			Total		
	Cases	Deaths	Percent- age of deaths to cases	Cases	Deaths	Percent- age of deaths to cases	Cases	Deaths	Percent- age of deaths to cases
Under 1 year.....	2	1	50	5	4	80	7	5	71.4
1 to 4 years.....	6	1	16.7	14	8	57.1	20	9	45
5 to 9 years.....	12	1	8.3	12	4	33.3	24	5	20.8
10 to 19 years.....	45	7	15.6	73	30	41.1	118	37	31.4
20 to 29 years.....	218	48	22.4	164	86	52.4	382	134	35.1
30 to 39 years.....	208	29	13.9	120	77	64.2	328	106	32.3
40 to 49 years.....	88	42	47.8	66	46	70	154	88	57.1
50 to 59 years.....	63	28	44.4	26	20	77	89	48	53.9
60 to 69 years.....	30	12	40	16	14	88	46	26	56.5
70 years and over.....	18	17	94.4	5	4	80	23	21	91.3
Total.....	690	186	27	501	293	58.5	1,191	479	40.2

TABLE 27.—*Typhoid fever: Deaths and death rates, cases and case rates, per 100,000 population, and percentage of deaths to cases, according to race, from 1901 to 1925, inclusive*

Year	Deaths			Death rates per 100,000			Cases			Case rate per 100,000			Percentage of deaths to cases		
	W.	C.	Total	W.	C.	Total	W.	C.	Total	W.	C.	Total	W.	C.	Total
1901-1905.....	99	64	163	45.0	68.0	52.0	660	237	897	274.3	244.9	259.5	11.0	19.6	13.0
1906-1910.....	73	46	119	30.0	48.0	35.0	660	237	480	134.4	139.4	135.0	9.6	19.0	12.3
1911-1915.....	33	26	59	12.9	26.4	16.7	343	137	234	52.4	68.7	56.6	11.2	27.4	16.2
1916-1920.....	18	20	38	5.9	18.8	9.2	161	73	195	47.1	30.3	42.9	10.6	35.3	14.9
1921.....	17	12	29	5.0	10.7	6.4	161	34	188	48.3	20.5	41.4	9.7	30.4	12.2
1922.....	16	7	23	4.7	6.2	5.1	165	23	113	25.8	22.2	24.9	22.7	28.0	23.9
1923.....	20	7	27	5.6	6.0	5.7	88	25	133	32.2	11.9	27.3	15.1	7.1	14.3
1924.....	18	1	19	5.2	.8	3.9	119	14	126	24.3	28.4	25.3	13.0	38.2	19.8
1925.....	12	13	25	3.2	10.9	5.0	92	34							

¹Annual average for 5-year period.

TABLE 27A.—Typhoid fever: Reported cases and deaths, by race and by months, during the calendar year 1925

Month	White		Colored		Total	
	Cases	Deaths	Cases	Deaths	Cases	Deaths
January.....	28	4	3	3	31	7
February.....	6	2	0	0	6	2
March.....	6	0	0	0	6	0
April.....	1	1	3	0	4	1
May.....	5	0	4	1	9	1
June.....	8	1	0	1	8	2
July.....	5	2	4	0	9	2
August.....	10	0	4	2	14	2
September.....	10	1	6	2	16	3
October.....	5	1	2	1	7	2
November.....	3	0	8	2	11	2
December.....	5	0	0	1	5	1
Total.....	92	12	34	13	126	25

TABLE 27B.—Typhoid fever: Cases and deaths, with percentage of deaths to cases at certain age periods, during the calendar year 1925

Age	White			Colored			Total		
	Cases	Deaths	Percent- age of deaths to cases	Cases	Deaths	Percent- age of deaths to cases	Cases	Deaths	Percent- age of deaths to cases
Under 1 year.....	0	0	0	0	0	0	0	0	0
1 to 4 years.....	4	0	0	0	0	0	4	0	0
5 to 9 years.....	7	1	14.3	4	1	25	11	2	18.2
10 to 19 years.....	18	3	16.7	16	3	18.7	34	6	17.7
20 to 29 years.....	32	2	6.3	6	3	50	38	5	13.2
30 to 39 years.....	14	4	28.6	5	4	80	19	8	42.1
40 to 49 years.....	9	1	11.1	2	2	100	11	3	27.3
50 to 59 years.....	7	0	0	1	0	0	8	0	0
60 to 69 years.....	0	0	0	0	0	0	0	0	0
70 years and over.....	1	1	100	0	0	0	1	1	100
Total.....	92	12	13.0%	34	13	38.2	126	25	19.8

TABLE 28.—Whooping cough: Deaths and death rates, cases and case rates, per 100,000 population, and percentage of deaths to cases, according to race, from 1901 to 1925, inclusive

Year	Deaths			Death rates per 100,000			Cases			Case rate per 100,000			Percentage of deaths to cases		
	W.	C.	Total	W.	C.	Total	W.	C.	Total	W.	C.	Total	W.	C.	Total
1901-1905 ¹	27	50	77	12.0	53.0	25.0	-----	-----	-----	-----	-----	-----	-----	-----	-----
1906-1910.....	15	23	38	6.0	24.0	11.0	-----	-----	-----	-----	-----	-----	-----	-----	-----
1911-1915.....	10	19	29	3.9	19.3	8.2	525	197	722	205.8	200.4	204.3	1.9	9.6	4.0
1916-1920 ¹	11	16	27	3.6	15.0	6.5	1,149	270	1,419	374.2	254.3	343.4	.9	5.9	1.9
1921.....	5	5	10	1.5	4.4	2.2	932	161	1,093	272.8	143.3	240.7	.6	3.1	.9
1922.....	3	3	6	.9	2.7	1.3	452	93	545	132.3	82.7	120.0	.6	3.2	1.1
1923.....	17	17	34	4.7	14.6	7.2	1,224	167	1,391	358.2	148.6	306.4	1.4	10.2	2.4
1924.....	4	9	13	1.1	7.6	2.6	420	67	487	113.8	56.8	100.0	.9	13.4	2.7
1925.....	4	17	21	1.0	14.2	4.2	550	195	745	145.5	162.9	149.6	.7	8.7	2.8

¹ Annual average for 5-year period.

TABLE 28A.—Whooping cough: Reported cases and deaths, by race and by months, during the calendar year 1925

Month	White		Colored		Total	
	Cases	Deaths	Cases	Deaths	Cases	Deaths
January.....	45	1	8	2	53	3
February.....	36	0	8	0	44	0
March.....	53	0	11	1	64	1
April.....	52	1	20	1	72	2
May.....	64	0	8	0	72	0
June.....	52	0	8	0	60	0
July.....	50	0	27	0	77	0
August.....	55	1	23	5	78	6
September.....	43	0	36	4	79	4
October.....	30	0	20	2	50	2
November.....	31	0	5	1	36	1
December.....	39	1	21	1	60	2
Total.....	550	4	195	17	745	21

TABLE 28B.—Whooping cough: Cases and deaths, with percentage of deaths to cases, at certain age periods, during the calendar year 1925

Age	White			Colored			Total		
	Cases	Deaths	Percent- age of deaths to cases	Cases	Deaths	Percent- age of deaths to cases	Cases	Deaths	Percent- age of deaths to cases
Under 1 year.....	42	3	7.1	24	11	45.8	66	14	21.2
1 to 4 years.....	280	1	.4	110	6	5.5	390	7	1.8
5 to 9 years.....	205	0	0	57	0	0	262	0	0
10 to 19 years.....	14	0	0	4	0	0	18	0	0
20 to 29 years.....	6	0	0	0	0	0	6	0	0
30 to 39 years.....	1	0	0.	0	0	0	1	0	0
40 to 49 years.....	1	0	0	0	0	0	1	0	0
50 to 59 years.....	0	0	0	0	0	0	0	0	0
60 to 69 years.....	0	0	0	0	0	0	0	0	0
70 years and over.....	1	0	0	0	0	0	1	0	0
Total.....	550	4	.7	195	17	8.7	745	21	2.8

TABLE 29.—*Population and deaths, by race, in the District of Columbia, from pneumonia, bronchitis, and congestion of the lungs, and from said diseases taken together, and showing also the death rate per 100,000 of each of such classes of deaths*

Calendar year	Population		Pneumonia				Bronchitis			
			White		Colored		White		Colored	
	White	Colored	Deaths	Death rate per 100,000	Deaths	Death rate per 100,000	Deaths	Death rate per 100,000	Deaths	Death rate per 100,000
1901-1905 ¹	217,606	93,719	219	101	288	307	55	25	80	85
1906-1910 ¹	240,244	96,696	246	102	304	314	61	25	67	69
1911-1915 ¹	255,360	98,453	262	103	285	289	51	20	42	43
1916-1920 ¹	307,076	106,194	427	139	382	360	43	14	31	29
1921	341,662	112,364	282	83	267	138	36	10	36	32
1922	341,662	112,364	343	100	296	263	30	9	29	26
1923	359,569	116,397	501	139	514	441	42	11	35	30
1924	368,915	118,021	397	108	344	291	34	9	27	23
1925	378,261	119,645	333	88	307	257	23	6	15	13

Calendar year	Population		Congestion of lungs				Pneumonia, bronchitis, and congestion of lungs			
			White		Colored		White		Colored	
	White	Colored	Deaths	Death rate per 100,000	Deaths	Death rate per 100,000	Deaths	Death rate per 100,000	Deaths	Death rate per 100,000
1901-1905 ¹	217,606	93,719	33	15	25	27	307	141	393	419
1906-1910 ¹	240,244	96,696	27	11	13	13	334	139	384	397
1911-1915 ¹	255,360	98,453	13	5	7	7	326	128	334	339
1916-1920 ¹	307,076	106,194	7	2	2	2	476	155	415	391
1921	341,662	112,364	2	1	5	4	320	94	308	274
1922	341,662	112,364	6	2	2	2	379	111	327	291
1923	359,569	116,397	6	2	4	3	549	153	553	475
1924	368,915	118,021	7	2	1	1	438	119	372	315
1925	378,261	119,645	23	6	11	9	379	100	333	278

¹ Annual average for 5-year period.

TABLE 32.—*Births (stillbirths excluded) reported in the District of Columbia, arranged by race and by legitimacy and illegitimacy, and number of multiple births for the years mentioned*

Calendar years	Legitimate			Illegitimate			Total			Twins			Triplets		
	White	Colored	Total	White	Colored	Total	White	Colored	All	White	Colored	Total	White	Colored	Total
1896-1900 ¹	2,712	1,380	4,092	86	491	577	2,798	1,871	4,669	71	42	113	1	---	1
1901-1905 ¹	3,335	1,499	4,834	95	481	576	3,430	1,980	5,409	72	52	124	1	---	3
1906-1910 ¹	4,533	1,786	6,319	99	482	581	4,632	2,268	6,900	84	46	130	1	1	2
1911-1915 ¹	4,690	1,769	6,459	104	464	568	4,794	2,234	7,028	78	52	130	1	1	1
1916-1920 ¹	5,641	1,889	7,530	105	391	496	5,746	2,279	8,025	105	50	155	---	---	---
1921	6,321	2,171	8,492	127	409	536	6,448	2,580	9,028	96	58	154	---	---	---
1922	6,371	2,180	8,551	129	441	570	6,500	2,621	9,121	113	40	153	3	---	3
1923	6,301	2,201	8,502	112	415	527	6,413	2,616	9,029	100	64	164	---	---	---
1924	6,404	2,365	8,771	121	465	586	6,527	2,830	9,357	144	44	188	6	3	9
1925	6,206	2,404	8,610	107	456	563	6,313	2,860	9,173	124	70	194	0	3	3

¹ Annual average for 5-year period.

19021-26†—4

TABLE 33.—Stillbirths reported in the District of Columbia during the calendar year 1925, by race and sex, and certain data relative thereto

	White			Colored			Unknown race			Total
	Male	Female	Sex unknown	Male	Female	Sex unknown	Male	Female	Sex unknown	
Legitimacy:										
Legitimate.....	127	112	0	97	71	0	0	0	0	407
Illegitimate.....	1	5	0	26	21	0	0	0	0	53
Unknown.....	2	3	0	3	0	4	6	10	11	39
Total.....	130	120	0	126	92	4	6	10	11	499
Period, uterogestation:										
4 months and under.....	11	13	0	15	15	4	1	2	11	72
5 months.....	7	8	0	7	2	0	5	4	0	33
6 months.....	18	14	0	14	11	0	0	2	0	59
7 months.....	12	21	0	16	4	0	0	0	0	53
8 months.....	21	16	0	25	18	0	0	2	0	82
9 months.....	60	47	0	48	42	0	0	0	0	197
10 months.....	1	1	0	1	0	0	0	0	0	3
Total.....	130	120	0	126	92	4	6	10	11	499
Causes:										
Unknown.....	56	65	0	83	64	4	6	10	11	299
Prematurity.....	0	2	0	2	1	0	0	0	0	5
Injury to mother.....	3	4	0	5	2	0	0	0	0	14
Illness of mother.....	4	8	0	1	0	0	0	0	0	13
Maternal fatigue.....	0	1	0	2	1	0	0	0	0	4
Separation of placenta.....	8	7	0	2	1	0	0	0	0	18
Malpresentation.....	3	0	0	3	2	0	0	0	0	8
Placenta previa.....	3	2	0	2	3	0	0	0	0	10
Spina bifida.....	0	0	0	0	0	0	0	0	0	0
Prolapsed cord.....	10	7	0	3	1	0	0	0	0	21
Dystocia.....	1	2	0	2	2	0	0	0	0	7
Monstrosity.....	1	1	0	0	0	0	0	0	0	2
Asphyxia neonatorum.....	3	2	0	0	0	0	0	0	0	5
Deformed pelvis.....	1	1	0	0	0	0	0	0	0	2
Intracranial pressure.....	2	0	0	1	0	0	0	0	0	3
Hydrocephalus.....	4	3	0	0	0	0	0	0	0	7
Difficult and prolonged labor.....	2	7	0	0	0	0	0	0	0	9
Syphilis.....	2	1	0	11	5	0	0	0	0	19
Asphyxia pallida.....	8	0	0	1	0	0	0	0	0	9
Cæsarean section.....	0	0	0	0	1	0	0	0	0	1
Intrauterine asphyxia.....	0	0	0	2	5	0	0	0	0	7
Toxæmia.....	13	0	0	1	1	0	0	0	0	15
Congenital malformation.....	0	0	0	0	1	0	0	0	0	1
Retained placenta.....	0	0	0	0	1	0	0	0	0	1
Fibromata uteri.....	0	0	0	0	1	0	0	0	0	1
Eclampsia.....	3	4	0	4	0	0	0	0	0	11
Cerebral hemorrhage.....	3	3	0	1	0	0	0	0	0	7
Total.....	130	120	0	126	92	4	6	10	11	499
Physicians	127	117	0	122	83	0	0	0	0	449
Coroner	3	3	0	4	9	4	6	10	11	50
Total.....	130	120	0	126	92	4	6	10	11	499

TABLE 1A.—Showing deaths and death rates in the District of Columbia during the calendar year 1925, arranged with reference to race and sex, and classified with reference to causes of death

Classification No.	Cause of death	Total deaths		General death rates			Per-centage of each cause to total mor-tality	Deaths by race and sex				Total by sex			
		White	Colored	All	White	Colored		All	White		Colored		Male	Female	
									Male	Female	Male	Female			
SUMMARY															
I.	Epidemic, endemic, and infectious diseases.....	375	465	840	0.969	3.886	1.685	11.973	207	168	256	209	463	377	
II.	General diseases not included in Class I.....	590	196	786	1.562	1.638	1.581	11.203	274	316	72	124	346	440	
III.	Diseases of the nervous system and of the organs of special sense.....	402	252	714	1.300	2.106	1.494	10.604	241	251	122	130	363	381	
IV.	Diseases of the circulatory system.....	1,047	576	1,623	2.768	4.814	3.280	23.133	556	491	283	293	839	784	
V.	Diseases of the respiratory system.....	1,407	380	1,787	1.076	3.176	1.588	11.217	257	150	201	179	458	329	
VI.	Diseases of the digestive system.....	341	225	566	.901	1.881	1.137	8.067	196	145	129	96	325	241	
VII.	Nonvenereal diseases of the genito-urinary system and annexa.....	410	231	641	1.064	1.931	1.267	9.136	219	191	113	118	332	309	
VIII.	The puerperal state.....	35	33	68	.093	.276	.137	.969	7	35	8	33	68	68	
IX.	Diseases of the skin and cellular tissues.....	11	13	24	.029	.109	.048	.342	4	4	1	5	15	9	
X.	Diseases of the bones and of the organs of locomotion.....	7	2	9	.018	.017	.018	.128	4	3	1	7	5	4	
XI.	Malformations.....	36	17	53	.095	.142	.106	.755	20	16	10	7	30	23	
XII.	Early infancy.....	216	133	349	.571	1.112	.701	4.974	118	98	78	55	196	153	
XIII.	Old age.....	39	15	54	.103	.125	.108	.770	16	23	5	10	21	33	
XIV.	External causes.....	292	161	453	.772	1.346	.910	6.457	199	93	119	42	318	135	
XV.	Ill-defined diseases.....	4	15	19	.010	.125	.039	.271	3	1	8	7	11	8	
Total all causes.....		4,302	2,714	7,016	11.373	22.684	14.081	99.999	2,317	1,985	1,405	1,309	3,722	3,294	
I. Epidemic, endemic, and infectious diseases															
1	Typhoid and paratyphoid fever: Typhoid fever.....	12	13	25	.032	.109	.050	.356	6	6	6	7	12	13	
6	Smallpox.....	16	4	20	.042	.033	.040	.285	6	10	3	1	9	11	
7	Measles.....	1	3	4	.003	.025	.008	.057	1	2	1	2	2	2	
8	Scarlet fever.....	4	1	5	.010	.008	.010	.071	2	2	1	1	2	3	
9	Whooping cough.....	4	17	21	.010	.142	.042	.300	3	1	10	7	13	8	
10	Diphtheria.....	24	13	37	.063	.109	.074	.527	16	8	6	7	22	15	
11	Influenza:														
	1. Pneumonia due to la grippe.....	11	7	18	.029	.059	.036	.257	7	4	3	4	10	8	
	Influenza pneumonia.....	2	2	4	.005	.016	.004	.029	1	1	2	2	2	2	
	2. Influenza and la grippe.....	21	20	41	.055	.167	.082	.585	9	12	7	13	16	25	
	Influenzal meningitis.....	2	2	4	.005	.016	.004	.029	1	1	2	2	2	2	

TABLE 1A.—Showing deaths and death rates in the District of Columbia during the calendar year 1925, arranged with reference to race and sex, and classified with reference to causes of death—Continued

Classification No.	Cause of death	Total deaths			General death rates			Per- cent- age of each cause to total mor- tal- ity	Deaths by race and sex				Total by sex		
		White	Colored	All	White	Colored	All		White		Colored		Male	Female	
									Male	Female	Male	Female			
I. Epidemic, endemic, and infectious diseases—Continued															
16	Dysentery:														
	1. Amebic.....	1	1	1	0.003	0.008	0.002	0.014							1
	2. Bacillary.....	1	1	2	.003	.008	.004	.029							2
	3. Due to other causes.....	2	4	6	.005	.033	.012	.086							3
21	Erysipelas.....	6	1	7	.016	.008	.014	.100							4
22	Acute anterior poliomyelitis.....	4	4	8	.010	.008	.007	.100							3
23	Lethargic encephalitis.....	10	3	13	.026	.025	.026	.185							9
24	Meningococcus meningitis:														
	1. Epidemic cerebrospinal meningitis.....	1	1	1	.003	.008	.002	.014							1
	2. Acute meningitis.....	1	1	1	.003	.003	.002	.014							1
29	Tetanus.....	1	1	2	.003	.003	.002	.014							2
30	Mycoses:														
	1. Sporotrichosis.....	1	1	1	.003	.008	.002	.014							1
	2. Thrush.....	1	1	2	.003	.008	.002	.029							2
31	Tuberculosis of the respiratory system: Pulmonary tuberculosis.	186	283	469	.492	2.449	.962	6.827							207
32	Tuberculosis of the meninges and central nervous system: Tu- berculosis meningitis.....	12	20	32	.032	.167	.064	.456							15
33	Tuberculosis of the intestines and peritoneum:														
	1. Tuberculous peritonitis.....	1	10	11	.003	.083	.022	.157							5
	2. Tuberculous gastroenteritis.....	1	1	2	.003	.008	.002	.014							1
	3. Abdominal.....	1	1	2	.003	.008	.002	.014							1
	4. Intestinal.....	1	1	1	.003	.008	.002	.014							1
34	Tuberculosis of the vertebral column:														
	1. Pott's disease.....	1	1	1	.003	.008	.002	.014							1
	2. Spondylitis.....	1	1	2	.003	.008	.002	.014							1
	3. Spine.....	1	4	5	.003	.033	.010	.071							1
35	Tuberculosis of the joints:														
	1. Knee.....	1	1	1	.003	.008	.002	.014							1
	2. Hip.....	1	1	1	.003	.008	.002	.014							1

36	Tuberculosis of other organs: 1. Tubercular osteomyelitis 2. Tuberculous adenitis 3. Scrofula 4. Genito-urinary system 5. Kidney 6. Tuberculosis, disseminated: Miliary 7. Syphilis 8. Septicemia 9. Streptococci 10. Streptococci infection of hand 11. Streptococci infection of nose 12. Pyemia, multiple miliary abscess 13. Pyemia, following erysipelas	1 2 1 1 2 2 10 19 7 3 1 1 1 1	2 5 22 5 2 2 5 2 3 3 1 1 1 1	1 1 1 1 2 32 24 9 3 3 1 1 1 1	.003016002004029	1 1 1 1 2 2 10 9 2 2 3 1 1 1 1	.002014	1 1 1 1 2 8 5 2 3 1 1 1 1 1	.002014004029	1 1 1 1 2 2 3 2 2 1 1 1 1 1	.002014	1 1 1 1 2 2 3 2 2 1 1 1 1 1	.002014	1 1 1 1 2 2 3 2 2 1 1 1 1 1	.002014	1 1 1 1 2 2 3 2 2 1 1 1 1 1	.002014	1 1 1 1 2 2 3 2 2 1 1 1 1 1	.002014	1 1 1 1 2 2 3 2 2 1 1 1 1 1	.002014	1 1 1 1 2 2 3 2 2 1 1 1 1 1	.002014	1 1 1 1 2 2 3 2 2 1 1 1 1 1	.002014	1 1 1 1 2 2 3 2 2 1 1 1 1 1	.002014	1 1 1 1 2 2 3 2 2 1 1 1 1 1	.002014	1 1 1 1 2 2 3 2 2 1 1 1 1 1	.002014	1 1 1 1 2 2 3 2 2 1 1 1 1 1	.002014	1 1 1 1 2 2 3 2 2 1 1 1 1 1	.002014	1 1 1 1 2 2 3 2 2 1 1 1 1 1	.002014	1 1 1 1 2 2 3 2 2 1 1 1 1 1	.002014	1 1 1 1 2 2 3 2 2 1 1 1 1 1	.002014	1 1 1 1 2 2 3 2 2 1 1 1 1 1	.002014	1 1 1 1 2 2 3 2 2 1 1 1 1 1	.002014	1 1 1 1 2 2 3 2 2 1 1 1 1 1	.002014	1 1 1 1 2 2 3 2 2 1 1 1 1 1	.002014	1 1 1 1 2 2 3 2 2 1 1 1 1 1	.002014	1 1 1 1 2 2 3 2 2 1 1 1 1 1	.002014	1 1 1 1 2 2 3 2 2 1 1 1 1 1	.002014	1 1 1 1 2 2 3 2 2 1 1 1 1 1	.002014	1 1 1 1 2 2 3 2 2 1 1 1 1 1	.002014	1 1 1 1 2 2 3 2 2 1 1 1 1 1	.002014	1 1 1 1 2 2 3 2 2 1 1 1 1 1	.002014	1 1 1 1 2 2 3 2 2 1 1 1 1 1	.002014	1 1 1 1 2 2 3 2 2 1 1 1 1 1	.002014	1 1 1 1 2 2 3 2 2 1 1 1 1 1	.002014	1 1 1 1 2 2 3 2 2 1 1 1 1 1	.002014	1 1 1 1 2 2 3 2 2 1 1 1 1 1	.002014	1 1 1 1 2 2 3 2 2 1 1 1 1 1	.002014	1 1 1 1 2 2 3 2 2 1 1 1 1 1	.002014	1 1 1 1 2 2 3 2 2 1 1 1 1 1	.002014	1 1 1 1 2 2 3 2 2 1 1 1 1 1	.002014	1 1 1 1 2 2 3 2 2 1 1 1 1 1	.002014	1 1 1 1 2 2 3 2 2 1 1 1 1 1	.002014	1 1 1 1 2 2 3 2 2 1 1 1 1 1	.002014	1 1 1 1 2 2 3 2 2 1 1 1 1 1	.002014	1 1 1 1 2 2 3 2 2 1 1 1 1 1	.002014	1 1 1 1 2 2 3 2 2 1 1 1 1 1	.002014	1 1 1 1 2 2 3 2 2 1 1 1 1 1	.002014	1 1 1 1 2 2 3 2 2 1 1 1 1 1	.002014	1 1 1 1 2 2 3 2 2 1 1 1 1 1	.002014	1 1 1 1 2 2 3 2 2 1 1 1 1 1	.002014	1 1 1 1 2 2 3 2 2 1 1 1 1 1	.002014	1 1 1 1 2 2 3 2 2 1 1 1 1 1	.002014	1 1 1 1 2 2 3 2 2 1 1 1 1 1	.002014	1 1 1 1 2 2 3 2 2 1 1 1 1 1	.002014	1 1 1 1 2 2 3 2 2 1 1 1 1 1	.002014	1 1 1 1 2 2 3 2 2 1 1 1 1 1	.002014	1 1 1 1 2 2 3 2 2 1 1 1 1 1	.002014	1 1 1 1 2 2 3 2 2 1 1 1 1 1	.002014	1 1 1 1 2 2 3 2 2 1 1 1 1 1	.002014	1 1 1 1 2 2 3 2 2 1 1 1 1 1	.002014	1 1 1 1 2 2 3 2 2 1 1 1 1 1	.002014	1 1 1 1 2 2 3 2 2 1 1 1 1 1	.002014	1 1 1 1 2 2 3 2 2 1 1 1 1 1	.002014	1 1 1 1 2 2 3 2 2 1 1 1 1 1	.002014	1 1 1 1 2 2 3 2 2 1 1 1 1 1	.002014	1 1 1 1 2 2 3 2 2 1 1 1 1 1	.002014	1 1 1 1 2 2 3 2 2 1 1 1 1 1	.002014	1 1 1 1 2 2 3 2 2 1 1 1 1 1	.002014	1 1 1 1 2 2 3 2 2 1 1 1 1 1	.002014	1 1 1 1 2 2 3 2 2 1 1 1 1 1	.002014	1 1 1 1 2 2 3 2 2 1 1 1 1 1	.002014	1 1 1 1 2 2 3 2 2 1 1 1 1 1	.002014	1 1 1 1 2 2 3 2 2 1 1 1 1 1	.002014	1 1 1 1 2 2 3 2 2 1 1 1 1 1	.002014	1 1 1 1 2 2 3 2 2 1 1 1 1 1	.002014	1 1 1 1 2 2 3 2 2 1 1 1 1 1	.002014	1 1 1 1 2 2 3 2 2 1 1 1 1 1	.002014	1 1 1 1 2 2 3 2 2 1 1 1 1 1	.002014	1 1 1 1 2 2 3 2 2 1 1 1 1 1	.002014	1 1 1 1 2 2 3 2 2 1 1 1 1 1	.002014	1 1 1 1 2 2 3 2 2 1 1 1 1 1	.002014	1 1 1 1 2 2 3 2 2 1 1 1 1 1	.002014	1 1 1 1 2 2 3 2 2 1 1 1 1 1	.002014	1 1 1 1 2 2 3 2 2 1 1 1 1 1	.002014	1 1 1 1
----	--	--	---	--	--	--	--	---	---	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	------------------

TABLE 1A.—Showing deaths and death rates in the District of Columbia during the calendar year 1925, arranged with reference to race and sex, and classified with reference to causes of death—Continued

Classification No.	Cause of death	Total deaths			General death rates			Per- cent- age of each cause to total mor- mor- tality	Deaths by race and sex				Total by sex		
		White	Colored	All	White	Colored	All		White		Colored		Male	Female	
									Male	Female	Male	Female			
69	II. General diseases not included in Class I—Continued														
	Other general diseases:														
	Acidosis.....	3	1	4	0.008	0.008	0.008	0.057	2	1	1	1	2	2	
	Hemophilia.....	1	1	1	.003	.008	.002	.014	1	1	1	1	1	1	
	Purpura hemorrhagica.....	1	1	1			.002	.014	1					1	
	Total general diseases not included in Class I.....	590	196	786	1.562	1.638	1.581	11.203	274	316	72	124	346	440	
	III. Diseases of the nervous system and of the organs of special sense														
70	Encephalitis.....	3	2	5	.008	.016	.010	.071	1	2	1	1	2	3	
	Abscess of brain.....	3	1	4	.008	.008	.008	.057	2	1	1		3	1	
71	Meningitis:														
	Acute.....	2	2	2	.005	.016	.004	.029	1	1		2	1	1	
	Acute leptomenigitis.....						.004	.029						2	
	Cerebral (nonepidemic).....	1	1	2	.003	.003	.002	.014	1				1	1	
	Meningeal septicaemia.....	1	1	2	.003	.003	.002	.014	1	1	1		2	1	
	Pneumococcic.....	2	1	3	.005	.008	.006	.043	1	1	1		2	1	
	Serous.....	1	1	2	.003	.003	.002	.014	1				1	1	
	Simple.....	16	5	21	.042	.042	.042	.290	8	8	3	2	11	10	
	Cerebrospinal meningitis (nonepidemic).....	4	2	6	.010	.012	.016	.086	1	3	1	1	2	4	
	Cerebrospinal fever.....	3	3	6	.008	.025	.006	.043	3	2	2	1	2	1	
	Locomotor ataxia.....	3	2	5	.008	.016	.010	.071	3	1	1		5	1	
72	Multiple Charcot's disease of joints.....	1	1	2	.008	.008	.002	.014			1		1		
73	Other diseases of the spinal cord:														
	1. Amyotrophic lateral sclerosis.....	2	2	4	.005	.005	.004	.029	2	2	1		1	2	
	2. Acute ascending paralysis.....	1	1	2	.005	.008	.002	.014	1	1	1		1	1	
	3. Bulbar paralysis.....	2	2	4	.005	.008	.004	.029	1	1			1	1	
	4. Paraplegia.....	1	1	2	.003	.003	.002	.014	1				1	1	
	5. Poliomyelitis.....	1	1	2	.003	.003	.002	.014	1				1	1	
	6. Sporadic spinal paralysis.....	2	2	4	.003	.016	.004	.029	1	1	1	1	3	1	
	7. Spinal sclerosis.....	3	2	5	.008	.006	.006	.043	3				3	1	
	8. Myelitis leukemia.....	1	1	2	.003	.003	.002	.014	1			1	1	1	
	9. Myelitis transverse.....	5	3	8	.013	.025	.016	.114	4	1	3	1	7	1	

74	Apoplexy (cerebral hemorrhage).....	330	162	492	.872	1.354	.988	7.012	141	189	75	87	216	276
75	Cerebral embolism and thrombosis.....	29	10	39	.077	.084	.078	.585	18	11	2	8	20	19
	Hemiplegia.....	8	12	20	.021	.100	.040	.654	2	2	1	3	1	1
	Cerebral paralysis.....	3	1	1	.068	.008	.002	.014	1	2	1	2	2	2
	Paralysis.....	2	2	2	—	.016	.004	.029	—	—	—	1	—	1
76	General paralysis of the insane.....	28	12	40	.074	.040	.080	.570	25	3	11	2	36	4
	Dementia paralytica.....	5	5	5	—	.042	.010	.071	—	—	3	2	3	2
	Dementia, senile.....	1	1	1	—	.008	.002	.014	—	—	—	1	—	1
	Paresis.....	2	1	2	.005	—	.004	.029	2	—	—	—	2	—
77	Paresis, juvenile.....	1	—	1	.003	—	.002	.014	—	1	—	—	—	1
	Dementia, precox.....	3	4	7	.008	.033	.014	.100	1	2	—	4	1	6
78	Toxic psychosis.....	1	1	2	.003	.008	.004	.029	1	—	—	1	1	1
	Epilepsy.....	2	1	3	.005	.008	.006	.043	2	—	—	1	2	1
79	Epileptic convulsions.....	2	2	2	—	.016	.004	.029	—	—	2	—	2	—
80	Convulsions (nonpuerperal, 5 years and over).....	2	2	2	—	.016	.004	.029	—	—	1	1	1	1
81	Infantile convulsions (under 5 years of age).....	3	1	4	.008	.008	.008	.057	1	2	1	—	2	2
82	Chorea.....	1	1	1	—	.008	.002	.014	—	—	—	1	—	1
	Tic douloureux.....	1	—	1	.003	—	.002	.014	1	—	—	—	1	—
	Multiple neuritis.....	1	—	1	.003	—	.002	.014	1	—	—	—	1	—
83	Softening of the brain.....	4	—	4	.010	—	.008	.057	1	3	—	—	1	3
84	Other diseases of the nervous system:													
	1. Acquired hydrocephalus.....	3	1	4	.008	.008	.008	.057	1	2	—	1	1	3
	2. Acute hydrocephalus.....	1	—	1	.003	—	.002	.014	—	—	—	—	1	—
	3. Cerebral hernia.....	1	—	1	.003	—	.002	.014	—	—	—	—	1	—
	4. Cerebral tumor.....	7	2	9	.018	.016	.018	.129	6	1	1	1	7	1
	5. Encephalitis, hemorrhagic.....	2	2	2	.005	—	.004	.029	2	—	—	—	2	2
	6. Multiple cerebrospinal sclerosis.....	2	—	2	.005	—	.004	.029	—	—	—	—	2	—
	7. Paralysis agitans.....	5	1	5	.013	.008	.002	.014	1	4	—	1	1	4
85	Diseases of the ear and of the mastoid process:													
	1. Otitis media.....	2	2	4	.005	.016	.008	.057	2	—	1	1	3	1
	2. Mastoiditis.....	3	2	5	.008	.016	.010	.071	3	—	—	2	3	2
	Total diseases of the nervous system and of the organs of special sense.....	492	252	744	1.300	2.106	1.494	10.004	241	251	122	130	363	381
IV. Diseases of the circulatory system														
87	Pericarditis.....	8	2	10	.021	.016	.020	.143	4	4	1	1	5	5
88	Endocarditis and myocarditis (acute and under 45 years).....	46	62	108	.122	.518	.217	1.539	26	20	37	25	63	45
89	Angina pectoris.....	49	4	53	.130	.033	.106	.755	28	21	1	3	29	24
90	Other diseases of the heart.....	731	422	1,153	1.932	3.527	2.316	16.434	385	346	204	218	589	564
91	Diseases of the arteries:													
	1. Aneurysm.....	7	10	17	.018	.084	.034	.242	7	—	9	1	16	1
	2. Rupture of abdominal aorta.....	1	1	1	.008	.008	.002	.014	—	—	1	—	—	—
	3. Arteriosclerosis.....	172	64	236	.455	.535	.474	3.364	82	90	27	37	109	127
	4. Atheroma of arteries.....	1	—	1	.003	—	.002	.014	1	—	—	—	1	—
	5. Sclerotic endarteritis.....	1	—	1	.003	—	.002	.014	1	—	—	—	1	—
	6. Aortitis.....	3	—	3	.008	—	.006	.043	3	—	—	—	3	—
	7. Arterial hypertension.....	1	1	1	—	.008	.002	.014	—	—	—	1	—	1

102	Pleurisy, serous.	5	16	21	.018	.124	.042	.299	3	2	10	6	13	5
103	Congestion and hemorrhagic infarct of the lung.	7	4	11	.033	.033	.022	.157	5	2	1	3	6	3
	1. Terminal broncho-pneumonia.								1			1	1	
	2. Hypostatic pneumonia.	8	1	9	.021	.008	.002	.014	6	2		1	6	3
	3. Pulmonary congestion.	2		2	.005	.004	.018	.129	1	1			1	1
	4. Pulmonary edema.	12	9	21	.032	.075	.042	.299	5	7	7	2	12	9
	5. Pulmonary infarct.	1	1	1		.008	.002	.014	1			1	1	1
104	Gangrene of the lung.	1		1	.043		.002	.014	1				1	
105	Asthma.	3		3	.008		.006	.043	1	2		4	7	2
	Bronchial asthma.	1	11	11	.003	.092	.022	.157		1	7	4	7	4
	Asthmatic bronchitis.	1		1			.002	.014						1
107	Other diseases of the respiratory system (tuberculosis excepted):	1		1			.002	.014	1				1	
	1. Anthracosis.	1		1	.003		.002	.014					1	
	2. Pulmonary abscess.	8	5	13	.021	.042	.026	.185	6	2	3	2	9	4
	Pulmonary hemorrhage.	1	8	9	.003	.066	.016	.129	1		2	6	3	6
	Pulmonary toxemia.	1	1	1		.008	.002	.014				1		1
	Total diseases of the respiratory system.	407	380	787	1.076	3.176	1.588	11.217	257	150	201	179	458	329
VI. Diseases of the digestive system														
108	Diseases of the mouth and annexa:	1	1	2	.003	.008	.004	.029		1	1		1	1
	1. Parotitis (not mumps).	1		1			.002	.014		1				1
	2. Ludwig's angina.	1		1	.003	.008	.002	.014						
109	Diseases of the pharynx and tonsils (including adenoid vegetations):						.002	.014			1		1	
	Pharyngitis.	4		4	.010		.008	.057	1	3			1	3
	Pharyngeal paralysis.	1	1	1		.008	.002	.014				1	1	1
	Retropharyngeal abscess.	1		1	.003		.002	.014					1	
	Septic tonsillitis.	1		1		.008	.002	.014				1	1	1
	Tonsillectomy.	1	1	2	.003	.008	.004	.029	1		1		2	
111	Ulcer of the stomach and duodenum:	12	8	20	.032	.066	.040	.285	11	1	4	4	15	5
	1. Gastric ulcer.	1		1	.003		.002	.014	1				1	
	2. Duodenal ulcer.	1		1	.003		.002	.014	1				1	
	Ruptured pyloric ulcer.	6	1	7	.016	.008	.014	.100	4	2		1	4	3
112	Other diseases of the stomach (cancer excepted):													
	1. Gastritis, acute.	8	6	14	.021	.050	.028	.200	3	5	4	2	7	7
	2. Gastritis, chronic.	2	4	6	.005	.033	.012	.086	1	1	2	2	3	3
	3. Gastric hemorrhage.	3		3	.008		.006	.043	1	2			1	2
	4. Gastric catarrh, chronic.	1		1	.003		.002	.014	1				1	
	5. Hemorrhage of stomach.	1		1		.008	.002	.014						
	6. Acute indigestion.	4	3	7	.010	.025	.014	.100	4		2	1	6	1
	7. Acute dilatation of stomach.	1	1	1		.008	.002	.014				1	1	1
	8. Gastroenteropositis.	1	1	1		.008	.002	.014				1	1	1
	9. Hypertrophic gastritis (Ford's).	1		1	.003	.008	.002	.014						
113	Diarrhea and enteritis (under 2 years of age).	81	87	168	.214	.727	.337	2.393	41	40	58	29	99	69
114	Diarrhea and enteritis (2 years and over).	22	25	47	.068	.209	.094	.670	12	10	13	12	25	22
116	Cystic kidney.	1		1	.003		.002	.014						1
117	Appendicitis.	44	14	58	.116	.117	.116	.827	31	13	9	5	40	18
	Ruptured appendix.	1	1	1	.008	.008	.002	.014			1		1	1

TABLE 1A.—Showing deaths and death rates in the District of Columbia during the calendar year 1925, arranged with reference to race and sex, and classified with reference to causes of death—Continued

Classification No.	Cause of death	Total deaths			General death rates			Per- cent- age of each cause to total mor- tality	Deaths by race and sex				Total by sex		
		White	Colored	All	White	Colored	All		White		Colored		Male	Female	
									Male	Female	Male	Female			
VI. Diseases of the digestive system—Continued															
118	Hernia, intestinal obstruction:														
	1. Inguinal hernia.....	9	6	15	0.024	0.050	0.030	0.214	5	4	6	—	11	4	
	2. Strangulated hernia.....	2	—	2	.005	.016	.004	.029	1	1	—	—	1	1	
	3. Strangulated epigastric hernia.....	—	2	2	—	.003	.004	.029	—	—	1	1	—	1	
	4. Incarcerated hernia.....	1	—	1	.003	—	.002	.014	—	1	—	—	—	—	
	5. Inoperable scrotal hernia.....	—	1	1	—	.008	.002	.014	—	—	1	—	—	—	
	6. Intestinal obstruction.....	40	23	63	.106	.192	.127	.888	24	16	6	17	30	33	
	7. Acute volvulus of sigmoid colon.....	1	—	1	.003	—	.002	.014	1	—	—	—	1	—	
	Other diseases of the intestines:														
	1. Ischiorectal abscess.....	1	6	7	.003	.050	.014	.100	1	1	2	4	3	4	
119	2. Retrovaginal fistula.....	—	1	1	—	.008	.002	.014	—	—	1	—	—	—	
	3. Luetic stricture, rectum.....	—	1	1	—	.008	.002	.014	—	—	1	—	—	—	
	4. Derviculitis.....	4	—	4	.010	—	.008	.057	3	1	—	—	3	1	
	5. Chronic constipation.....	1	—	1	.003	—	.002	.014	1	—	—	—	1	—	
	6. Intestinal autointoxication.....	1	—	1	.003	—	.002	.014	—	—	—	—	—	—	
	7. Intestinal hemorrhage.....	2	—	2	.005	—	.004	.029	1	1	—	—	1	1	
	8. Paresis of the bowel.....	1	—	1	.003	—	.002	.014	1	—	—	—	1	—	
	9. Yellow atrophy of the liver.....	1	1	2	.003	.008	.004	.029	—	1	—	1	—	2	
	Cirrhosis of the liver:														
	Hepatic cirrhosis.....	—	2	2	—	.016	.004	.029	—	—	1	1	1	1	
122	Cirrhosis of the liver.....	18	8	26	.048	.066	.052	.371	15	3	8	—	23	3	
	Biliary calculi:														
123	1. Cholemic gallstones.....	1	—	1	.003	—	.002	.014	1	—	—	—	1	—	
	2. Cholelithiasis.....	3	—	3	.008	—	.006	.043	—	3	—	—	—	3	
124	Other diseases of the liver:														
	1. Abscess of liver.....	2	1	3	.005	.008	.006	.043	2	—	1	1	3	—	
	2. Acute hepatitis.....	—	2	2	—	.016	.004	.029	—	—	1	1	—	1	
	3. Purulent hepatitis.....	—	1	1	—	.008	.002	.014	—	—	1	—	—	—	
	4. Cholecystitis.....	12	2	14	.032	.016	.028	.200	2	10	2	—	4	10	
	5. Congenital occlusion of bile ducts.....	—	1	1	.003	—	.002	.014	—	1	—	—	—	—	
	6. Empyema of gall bladder.....	1	2	2	—	.016	.004	.029	—	—	1	2	1	2	
	7. Obstructive jaundice.....	1	1	2	.003	.008	.004	.029	—	—	1	1	1	1	
8. Obstruction of bile duct.....	—	1	1	.003	—	.002	.014	—	—	—	—	—	—		

125	9. Ruptured gall bladder with peritonitis.	1	1	1	1	.003	1.881	1.137	8.067	196	145	129	96	325	241
126	10. Subphrenic abscess.	1	1	1	1	.003	.008	.002	.014	1	1	1	1	1	1
	Peritonitis (general)	12	13	1	1	.003	.023	.002	.014	5	7	1	2	6	7
	1. Abdominal	29	32	3	3	.077	.023	.002	.034	16	13	1	1	17	15
	2. Pelvic	1	1	1	1	.008	.008	.002	.014	1	1	1	1	1	1
	3. Mesenteric abscess.	2	2	2	2	.004	.016	.004	.029	1	1	1	2	2	2
	Total diseases of the digestive system.	341	225	566	901										
	VII. Nonvenereal diseases of the genito-urinary system and annexa														
128	Nephritis, acute.	28	46	74	.074	.384	.149	1.055	16	12	25	21	41	33	33
129	Nephritis, chronic.	331	150	481	.875	1.254	.966	6.855	187	144	75	75	262	219	219
131	Other diseases of the kidneys and annexa:														
	1. Hemorrhage of kidney (due to injection of hydroxide)	1	1	1	.003	.003	.002	.014	1	1	1	1	1	1	1
	2. Multiple abscess of kidney.	2	2	2	.005	.008	.006	.043	1	1	1	1	1	1	1
	3. Pyelitis.	2	2	2	.003	.016	.021	.100	2	3	1	2	2	2	2
	4. Pyelonephritis.	5	2	7	.005	.008	.006	.043	2	3	1	1	2	2	2
	5. Pyonephrosis.	2	1	3	.003	.003	.002	.014	1	1	1	1	1	1	1
	6. Paroxysmal hemoglobinuria.	1	1	1	.003	.003	.002	.014	1	1	1	1	1	1	1
	7. Renal abscess.	2	2	2	.005	.005	.004	.029	1	2	1	1	2	2	2
	8. Suppression of urine.	2	2	2	.003	.008	.004	.029	1	1	1	1	2	2	2
132	Renal calculi.	1	1	1	.003	.016	.008	.057	1	1	1	1	1	2	2
133	Cystitis.	2	2	4	.003	.016	.008	.057	1	1	1	1	1	2	2
134	Diseases of the urethra, urinary abscess, etc.:														
	1. Ruptured bladder.	1	2	2	.003	.016	.002	.014	1	1	2	2	2	1	1
	2. Periurethral abscess.	1	1	2	.003	.016	.002	.014	1	1	1	1	1	1	1
135	Diseases of the prostate:														
	1. Chronic prostatitis.	1	1	1	.003	.003	.002	.014	1	1	1	1	1	1	1
	2. Enlarged prostate gland.	2	2	2	.005	.005	.004	.029	2	2	1	2	2	2	2
	3. Hypertrophy, prostate.	3	7	10	.008	.059	.020	.143	3	3	7	7	10	10	10
	4. Prostatomy.	2	2	2	.005	.005	.004	.029	2	2	2	2	2	2	2
136	Phlegmon scrotum.	1	1	1	.008	.008	.002	.014	1	1	1	1	1	1	1
137	Cyst and other benign tumors of the ovary:														
	1. Malignant ovary cyst.	9	1	10	.024	.008	.020	.143	9	9	1	1	1	10	10
	2. Papilloma of left ovary.	1	1	1	.003	.003	.002	.014	1	1	1	1	1	1	1
	3. Papilloma of right ovary.	1	1	1	.003	.003	.002	.014	1	1	1	1	1	1	1
138	Salpingitis and pelvic abscess (female):														
	1. Bilateral salpingitis.	1	6	7	.003	.050	.014	.100	1	1	1	6	6	7	7
	2. Ovarian abscess.	3	3	3	.008	.008	.006	.042	3	3	3	3	3	3	3
	3. Psoas abscess.	2	2	2	.005	.005	.004	.029	2	2	2	2	2	2	2
	4. Pyosalpinx.	1	3	4	.003	.025	.008	.057	1	1	1	3	3	4	4
	5. Pyosalpingitis.	1	1	2	.003	.008	.004	.029	1	1	1	1	1	2	2
	6. tubo-ovarian abscess.	1	1	1	.008	.008	.002	.014	1	1	1	1	1	1	1
139	Benign tumors of the uterus:														
	1. Fibroma uteri.	2	2	2	.008	.008	.002	.014	2	2	2	2	2	2	2
	2. Multinodular fibroma uteri.	1	1	1	.008	.008	.002	.014	1	1	1	1	1	1	1
	3. Uterine fibroid.	3	3	5	.008	.016	.010	.070	3	3	3	3	3	5	5

TABLE 1A.—Showing deaths and death rates in the District of Columbia during the calendar year 1925, arranged with reference to race and sex, and classified with reference to causes of death

Classification No.	Cause of death	Total deaths		General death rates			Per-centage of each cause to total mor-tality	Deaths by race and sex				Total by sex		
		White	Colored	All	White	Colored		All	White		Colored		Male	Female
									Male	Female	Male	Female		
VII. Nonvenereal diseases of the genito-urinary system and annexa—Continued														
140	Nonpuerperal uterine hemorrhage: Ruptured uterus, idiopathic.....	1	—	1	0.003	—	0.002	0.014	—	1	—	—	—	1
141	Other diseases of the female genital organs:	1	1	2	.003	.008	.004	.029	—	1	—	1	—	2
	1. Retroverted uterus.....	—	1	1	—	.008	.002	.014	—	—	—	1	—	1
	2. Granuloma, inguinal.....	—	—	—	—	—	—	—	—	—	—	—	—	—
	Total nonvenereal diseases of the genito-urinary system and annexa.....	410	231	641	1.084	1.931	1.287	9.136	219	191	113	118	352	309
VIII. The puerperal state														
143	Abortion, self-induced.....	3	6	9	.008	.050	.018	.128	—	3	—	6	—	9
	Abortion, accidental.....	1	3	4	.003	.025	.008	.058	—	1	—	3	—	4
	Ectopic pregnancy.....	3	—	3	.008	—	.006	.043	—	3	—	—	—	3
144	Perilicious vomiting.....	1	—	1	.003	—	.003	.014	—	1	—	—	—	1
	Acute postpartum hemorrhage.....	2	1	3	.005	.008	.006	.043	—	2	—	1	—	3
	Placenta previa hemorrhage.....	1	1	2	.008	.008	.002	.014	—	—	—	1	—	2
145	Cesarean section.....	6	2	8	.016	.016	.016	.114	—	6	—	2	—	8
	Puerperal shock following delivery of fetus.....	1	1	2	.003	.003	.002	.014	—	1	—	1	—	2
146	Puerperal septicemia.....	3	12	15	.008	.100	.030	.214	—	3	—	12	—	15
	General peritonitis septicemia.....	1	1	2	.003	.003	.002	.014	—	1	—	1	—	2
	Postpartum infection.....	1	1	2	.003	.003	.002	.014	—	1	—	1	—	2
147	Acute peritonitis due to pregnancy.....	1	1	2	.003	.003	.002	.014	—	1	—	1	—	2
	Pulmonary embolism, pregnancy.....	1	1	2	.003	.003	.002	.014	—	1	—	1	—	2
	Phlebitis, childbirth.....	1	1	2	.003	.003	.002	.014	—	1	—	1	—	2
148	Cerebral embolism, childbirth.....	1	1	2	.008	.008	.002	.014	—	—	—	1	—	2
	Toxemia, pregnancy.....	5	1	6	.013	.008	.012	.086	—	5	—	1	—	6
	Hemolytic anemia, pregnancy.....	1	1	2	.003	.008	.002	.014	—	—	—	1	—	2
	Eclampsia, puerperal.....	5	5	10	.013	.042	.020	.143	—	5	—	5	—	10
	Total the puerperal state.....	35	33	68	.063	.276	.137	.969	—	35	—	33	—	68

IX. Diseases of the skin and cellular tissues

151	Gangrene of right foot.....	3	6	.008	.025	.012	.086	2	1	2	1	4	2
	Gangrene of right thigh.....	1	1	---	.008	.002	.014	---	---	---	---	---	1
	Gangrene of right leg.....	1	1	---	.008	.002	.014	---	---	---	---	---	1
	Gangrenous stomatitis.....	1	1	---	.008	.002	.014	---	1	---	---	---	---
	Gangrenous scrotum.....	1	1	---	.008	.002	.014	---	---	---	---	---	---
152	Senile gangrene.....	1	1	---	.008	.002	.014	---	---	---	---	---	1
	Carbuncle of gluteal region.....	1	1	.003	.008	.002	.014	1	---	---	---	---	---
	Carbuncle of neck.....	1	1	---	.008	.002	.014	---	1	---	---	---	---
153	Abscess multiple throughout body.....	1	1	.003	.008	.002	.014	1	---	---	---	---	---
	Abscess of neck.....	1	1	---	.008	.002	.014	---	---	---	---	---	---
	Abscess of thigh.....	1	1	---	.008	.002	.014	---	---	---	---	---	1
	Perianal abscess.....	1	1	---	.008	.002	.014	---	1	---	---	---	---
	Cellulitis of neck.....	1	1	.003	.008	.002	.014	1	---	---	---	---	---
	Cellulitis of face.....	1	1	---	.008	.002	.014	---	---	---	---	---	---
154	Other diseases of the skin and annexa:												
	1. Eczema.....	2	2	.005	.004	.004	.029	---	2	---	---	---	2
	2. Erythema multiforme bullosa.....	1	1	.003	.002	.002	.014	---	1	---	---	---	1
	3. Exfoliative dermatitis.....	1	1	.003	.002	.002	.014	1	---	---	---	---	---
	4. Pemphigus.....	1	1	.003	.002	.002	.014	---	---	---	---	---	---
	Total diseases of the skin and cellular tissues.....	11	13	.029	.109	.048	.342	7	4	8	5	15	9
X. Diseases of the bones and other organs of locomotion													
155	Chronic hypertrophic pulmonary osteoarthropathy.....												
	Osteomyelitis.....	4	1	---	.008	.002	.014	---	---	---	---	---	---
156	Arthritis, acute.....	1	5	.010	.008	.010	.072	2	1	---	---	---	1
	Arthritis, multiple septicemia.....	1	1	.003	.003	.002	.014	1	---	---	---	---	2
157	Amputation of right arm (infection after fall).....	1	1	.003	.003	.002	.014	---	---	---	---	---	3
	Total diseases of the bones and other organs of locomotion.....	7	2	.018	.017	.018	.128	4	3	1	1	5	4
XI. Malformations													
159	Congenital malformation of heart.....	7	1	.018	.008	.016	.115	5	2	1	---	---	2
	Congenital heart disease.....	1	1	---	.008	.002	.014	---	---	---	---	---	1
	Congenital mitral regurgitation.....	1	1	.003	.003	.002	.014	---	---	---	---	---	1
	Open foramen ovale.....	9	3	.024	.025	.024	.172	4	5	2	1	6	6
	Patent foramen ovale.....	3	3	.008	.008	.006	.043	1	2	---	---	---	2
	Patent ductus arteriosus.....	1	1	---	.008	.002	.014	---	---	---	---	---	1
	Abnormal development.....	1	1	.003	.003	.002	.014	---	1	---	---	---	1
	Cleft palate.....	1	2	---	.016	.004	.029	---	---	---	---	---	1
	Congenital malformation, prematurity.....	1	2	.002	.016	.006	.043	1	---	1	1	1	1
	Congenital malformation, intestines.....	1	3	.002	.016	.002	.014	---	---	---	---	---	1
	Congenital intestinal obstruction.....	1	1	.002	.002	.002	.014	1	---	---	---	---	1
	Congenital atresia of esophagus.....	1	1	.002	.002	.002	.014	1	---	---	---	---	1
	Congenital atresia of duodenum.....	1	1	.002	.002	.002	.014	1	---	---	---	---	1
	Congenital pyloric stenosis.....	3	5	.008	.016	.002	.014	3	1	---	---	---	1
	Hydrocephalus.....	1	1	.003	.003	.010	.071	---	---	2	3	3	2
	Ischio rectal fistula.....	1	1	---	.008	.002	.014	---	1	---	---	---	1

TABLE 1A.—Showing deaths and death rates in the District of Columbia during the calendar year 1925, arranged with reference to race and sex, and classified with reference to causes of death—Continued

Classification No.	Cause of death	Total deaths		General death rates			Per- cent- age of each cause to total mor- tality	Deaths by race and sex				Total by sex			
		White	Colored	All	White	Colored		All	White		Colored		Male	Female	
									Male	Female	Male	Female			
XI. Malformations—Continued															
160	Monstrosity.....	1	—	1	0.003	—	0.002	0.014	—	1	—	—	—	1	—
	Pulmonary atresia.....	1	—	1	.003	—	.002	.014	—	—	—	—	—	—	—
	Spina bifida.....	4	4	8	.010	0.033	.016	.114	1	3	4	—	5	3	—
	Total malformations.....	36	17	53	.095	.142	.106	.755	20	16	10	7	30	23	—
XII. Early infancy															
160	Congenital debility, icterus, and sclerema:														
	1. Asthenia.....	—	1	1	—	.008	.002	.014	—	—	1	—	—	1	—
	2. Infantile debility.....	—	1	1	—	.008	.002	.014	—	—	1	—	—	1	—
	3. Decomposition.....	3	—	3	.008	.006	.006	.042	—	—	—	—	—	—	3
	4. Icterus, neonatorum.....	1	4	5	.003	.033	.010	.071	—	1	1	3	—	1	4
	5. Icterus, catarrhal.....	1	—	1	.003	.002	.002	.014	1	—	—	—	—	—	—
	6. Inanition.....	5	4	9	.013	.033	.018	.128	3	2	3	1	6	3	—
	7. Jaundice.....	2	1	3	.005	.008	.006	.042	2	—	1	—	3	—	—
	8. Jaundice, obstructive.....	2	2	4	.005	.004	.004	.029	—	2	—	—	—	2	—
	9. Lack of vitality.....	—	1	1	—	.008	.002	.014	—	—	—	—	—	—	—
	10. Malnutrition.....	5	7	12	.013	.059	.024	.172	2	3	4	3	6	6	—
	11. Marasmus.....	7	5	12	.018	.042	.024	.172	3	4	4	1	7	5	—
	12. Nonassimilation.....	—	1	1	—	.008	.002	.014	—	—	—	—	—	—	—
161	13. Respiratory failure.....	3	1	4	.008	.008	.008	.057	—	3	—	1	—	—	—
	Prematurity.....	138	82	220	.365	.685	.440	3.137	71	67	51	31	122	98	—
	Cerebral hemorrhage.....	—	4	4	—	.033	.008	.057	—	—	2	2	2	—	—
	Delivered by podalic version.....	—	1	1	—	.008	.002	.014	—	—	—	—	—	—	—
	Injury during birth.....	—	1	1	—	.008	.002	.014	—	—	1	1	1	1	—
	Intracranial hemorrhage.....	18	1	19	.048	.008	.038	.271	12	6	—	—	12	7	—
	Maternal dysnoea.....	—	2	2	—	.016	.004	.029	—	1	1	1	1	1	—
	Strangulation of umbilical cord.....	3	—	3	.008	.006	.006	.042	3	—	—	—	3	—	—
	Other diseases peculiar to early infancy:	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	1. Acute septicaemia, infection umbilical cord.....	1	—	1	.003	.002	.002	.014	1	—	—	—	1	—	—
162	2. Asphyxia, laryngeal.....	—	—	—	—	—	.092	.014	—	—	—	—	—	—	—

3. Asphyxia, neonatorum.....	3	1	4	.008	.008	.057	2	1	1	3	1
4. Atelactasis.....	15	6	21	.040	.050	.002	11	4	2	15	6
5. Hemorrhage of cord.....	1	1	1	.003	.002	.014	1	1	1	1	7
6. Hemorrhage of new born.....	5	7	12	.013	.059	.024	4	1	6	5	1
7. Hemorrhagic pretonitis.....	1	1	1	.008	.008	.014	1	1	1	2	1
8. Sepsis of new born.....	1	1	2	.003	.008	.004	1	1	1	1	1
9. Shortening of umbilical cord.....	1	1	1	.003	.002	.014	1	1	1	1	1
Total early infancy.....	216	133	349	.571	1.112	4.974	118	98	78	196	153
XIII. Old age											
Senility.....	39	10	49	.103	.084	.699	16	23	2	18	31
Malnutrition.....	3	3	3	.025	.006	.042	1	1	1	2	1
Dementia.....	2	2	2	.016	.004	.029	1	1	1	1	1
Total old age.....	39	15	54	.103	.125	.770	16	23	5	21	33
XIV. External causes											
Suicide:											
Alcoholic poisoning.....	1	1	1	.003	.002	.014	1	1	1	1	1
Insect powder.....	1	1	1	.003	.002	.014	1	1	1	1	1
Bichloride of mercury.....	6	6	6	.016	.012	.086	1	5	1	1	5
Carbolic acid.....	2	2	2	.005	.004	.029	1	1	1	1	1
Cyanide.....	4	4	4	.010	.008	.057	3	1	1	3	1
Iodine.....	1	1	1	.003	.002	.014	1	1	1	1	1
Lye.....	1	1	1	.003	.002	.014	1	1	1	1	1
Lysol.....	2	2	2	.005	.004	.029	1	1	1	1	1
Inhalation of illuminating gas.....	18	1	19	.048	.008	.271	9	9	1	10	9
Hanging by neck.....	7	7	7	.018	.014	.100	7	7	7	7	7
Drowning.....	4	1	5	.010	.008	.071	4	1	1	5	5
Gunshot wound.....	15	1	16	.040	.008	.228	13	2	1	14	2
Incised wound of throat.....	2	1	3	.005	.008	.043	2	1	1	3	3
Incised wound of wrist.....	1	1	1	.003	.002	.014	1	1	1	1	1
Jumping from hospital window.....	1	1	1	.003	.002	.014	1	1	1	1	1
Set fire to clothes by matches, extensive burns of body	1	1	1	.003	.002	.014	1	1	1	1	1
Accidental:											
Opium poisoning (addict), overdose.....	1	1	1	.003	.002	.014	1	1	1	1	1
Arsenic.....	1	1	1	.003	.002	.014	1	1	1	1	1
Injection of camphorated oil.....	14	1	15	.037	.008	.270	4	10	15	15	25
Burns and scalds.....	2	26	40	.005	.217	.029	1	11	15	15	1
Asphyxia, epilepsy convulsions.....	2	2	2	.003	.004	.029	1	1	1	2	1
Mother overheat child.....	1	1	2	.003	.008	.029	1	1	1	2	1
Carbon-monoxide poison gas.....	2	2	2	.005	.004	.029	1	1	1	2	1
Inhalation of illuminating gas.....	18	6	24	.048	.050	.342	17	1	4	21	3
Ether narcosis.....	1	1	1	.003	.002	.014	1	1	1	1	1
Drowning.....	17	10	27	.045	.084	.385	17	10	2	27	1
Shell wound.....	1	1	1	.003	.002	.014	1	1	1	1	1
Gunshot wound.....	1	2	3	.003	.016	.043	1	2	3	3	3
Puncture wound of throat from lead pencil.....	1	1	1	.008	.002	.014	1	1	1	1	1
Fall downstairs, and not otherwise specified.....	8	11	19	.021	.008	.271	6	7	4	13	6
Fall, fracture of hip.....	7	7	7	.018	.014	.100	7	7	7	7	7

TABLE 1A.—Showing deaths and death rates in the District of Columbia during the calendar year 1925, arranged with reference to race and sex, and classified with reference to causes of death—Continued

Classification No.	Cause of death	Total deaths			General death rates			Per- cent- age of each cause to total mor- tality	Deaths by race and sex				Total by sex	
		White	Colored	All	White	Colored	All		White		Colored		Male	Female
									Male	Female	Male	Female		
XIV. External causes—Continued														
187	Accidental—Continued.													
	Fall from building, fracture of skull.	2	1	3	0.005	0.008	0.006	0.043	2		1		3	
	Fall from window.	1	2	3	.003	.016	.006	.043			1	1		2
	Fall from breaking down of lumber wagon.		1	1				.014						1
	Fall, fracture of femur.	7		7	.018	.008	.004	.004			7			7
	Fall, fracture of humerus.	2		2	.005	.004	.004	.029	1		1			1
	Fall, fracture of skull.	2		2	.005	.004	.004	.014	2					2
	Fall, cerebral concussion.	15		15	.040	.008	.002	.014	11		4		11	4
	Fall on iron picket.		1	1				.043						1
	Fall on machinery, steam shovel.	2	1	3	.003	.008	.006	.043	2		1		3	
	Struck by elevator.	1		1	.003	.003	.002	.014	1				1	
	Fall through elevator shaft.	5	2	7	.003	.016	.006	.043	5		2		7	
	Steam railroad.	1		1	.003	.002	.002	.014	1				1	
	Electric car and fire truck, collision.	9	1	10	.024	.008	.020	.014	8		1		9	1
	Struck by street car.	1		1	.003	.002	.002	.043	1				1	
	Decapitated by electric car plow.							.014						
	Toy wagon collided with street car.							.002						
	Automobile.	65	24	89	172	.200	.179	1.289	42		22	2	64	25
Motor cycle.	2	1	3	.005	.008	.006	.043	2		1		3		
Horse-drawn vehicle.	1	1	2	.003	.006	.004	.029	1		1		2		
Ran into tree while coasting.	1		1	.003	.002	.002	.014	1				1		
Asphyxia, cave-in of dirt bank.	1		1	.003	.003	.002	.014	1					1	
Puncture of lung, cave-in of dirt bank.	1		1	.003	.003	.002	.014	1					1	
Kicked by horse.	1		1	.003	.002	.002	.014	1					1	
Excessive heat.	7	7	14	.018	.059	.028	.002	2		5	2	7	7	
Electric shock.	4		4	.010	.008	.007	.057	4				4		
Clothes caught fire from electric wire.	1		1	.003	.002	.002	.014	1				1		
188	Homicide:													
	Gunshot wound.	9	24	33	.024	.200	.066	.471	9		19	5	28	5
	Stab wound of chest.		1	1	.008	.002	.004	.014			1		1	
	Stab wound of heart.		4	4	.003	.008	.003	.037			4		4	
189	Stab wound of leg.		2	2	.016	.004	.029	.029			2		2	

199	Stab wound of spinal cord.....	1	1	.003	.008	.002	.014	1	1	.014	1	1	1
	Stab wound of stomach.....	3	3	.025	.006	.002	.014	2	2	.002	1	2	1
	Incised wound of abdomen.....	1	1	.008	.002	.002	.014	1	1	.002	1	1	1
	Abortion.....	1	1	.008	.002	.002	.014	1	1	.002	1	1	1
	Abortion, criminal.....	2	2	.016	.004	.004	.029	1	1	.004	1	1	1
	Burns of entire body; struck with lighted lamp.....	1	1	.003	.002	.002	.014	1	1	.002	1	1	1
	Cerebral hemorrhage, traumatic.....	2	6	.005	.016	.002	.014	5	5	.002	1	7	1
	Crushed skull.....	1	1	.003	.002	.002	.014	1	1	.002	1	1	1
	Fracture of cervical vertebrae.....	1	1	.003	.008	.002	.014	1	1	.002	1	1	1
	Inhalation of illuminating gas.....	1	1	.003	.002	.002	.014	1	1	.002	1	1	1
201	Fracture, cause not specified:	1	1	.003	.002	.002	.014	1	1	.002	1	1	1
	1. Neck of femur.....	1	1	.003	.002	.002	.014	1	1	.002	1	1	1
	2. Hip.....	1	1	.003	.002	.002	.014	1	1	.002	1	1	1
	3. Skull.....	1	1	.008	.002	.002	.014	1	1	.002	1	1	1
202	Other external violence:	1	1	.003	.002	.002	.014	1	1	.002	1	1	1
	1. Accidentally struck head against door.....	1	1	.003	.002	.002	.014	1	1	.002	1	1	1
	2. Accidental homicide, gunshot wound.....	2	2	.016	.004	.004	.029	1	1	.004	1	1	1
	3. Septic arthritis, knee joint.....	1	1	.003	.002	.002	.014	1	1	.002	1	1	1
	4. Septic poison, wound of hand.....	1	1	.003	.002	.002	.014	1	1	.002	1	1	1
	5. Large button in trachea.....	1	1	.003	.002	.002	.014	1	1	.002	1	1	1
	6. Traumatic gangrene of arm.....	1	1	.008	.002	.002	.014	1	1	.002	1	1	1
	7. Hemorrhage due to fall.....	1	1	.008	.002	.002	.014	1	1	.002	1	1	1
	8. Puncture wound of bladder, per rectum.....	1	1	.008	.002	.002	.014	1	1	.002	1	1	1
	9. Hanging (legal execution).....	2	2	.016	.004	.004	.029	2	2	.004	2	2	2
	Total external causes.....	292	161	.772	1.346	.910	6.457	199	119	93	42	318	135
XV. Ill-defined diseases													
205	Apnea.....	1	1	.008	.002	.002	.014	1	1	.002	1	1	1
	Asphyxia.....	1	1	.008	.002	.002	.014	1	1	.002	1	1	1
	Asthemia.....	3	3	.025	.006	.006	.043	2	2	.006	1	2	1
	Congenital debility.....	1	1	.003	.002	.002	.014	1	1	.002	1	1	1
	Heart failure.....	1	1	.008	.002	.002	.014	1	1	.002	1	1	1
	Malnutrition.....	3	3	.025	.006	.006	.043	2	2	.006	1	2	1
	Marasmus.....	2	2	.016	.004	.004	.029	2	2	.004	1	2	1
	Natural causes.....	2	2	.005	.004	.004	.029	2	2	.004	1	2	1
	Paresis of heart.....	1	1	.008	.002	.002	.014	1	1	.002	1	1	1
	Postoperative shock.....	1	1	.003	.002	.002	.014	1	1	.002	1	1	1
	Meningitis, undetermined type.....	1	1	.008	.002	.002	.014	1	1	.002	1	1	1
	Unknown.....	2	2	.016	.004	.004	.029	2	2	.004	2	2	2
	Total ill-defined diseases.....	4	15	.010	.125	.039	.271	3	8	1	7	11	8

16	Dysentery:																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																			
----	------------	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--

[illegible]

69	Other general diseases:														
	1	1	0	1	0	1	0	1	0	1	0	1	0	1	0
	1	1	0	1	0	1	0	1	0	1	0	1	0	1	0
	3	2	5	3	1	1	0	3	0	1	0	1	0	1	0
Total general diseases not included in Class I.															
III. Diseases of the nervous system and of the organs of special sense															
70	Encephalitis.														
	Abscess of brain.														
71	Meningitis:														
	Acute.														
	1	1			0	1								1	0
	Acute leptomeningitis.														
	Cerebral (nonepidemic).														
	Meningeal septiceimia.														
	1	1	0											0	1
	Pneumococcic.														
	Serous.														
	3	0	1	1	0	1		0	1		0	1		1	0
	Cerebrospinal meningitis (nonepidemic).														
	Cerebrospinal fever.														
	0	1												3	4
72	Locomotor ataxia.														
	Multiple Charcot's disease of joints.														
73	Other diseases of the spinal cord:														
	1. Amyotrophic lateral sclerosis.														
	2. Acute ascending paralysis.														
	3. Bulbar paralysis.														
	4. Paraplegia.														
	5. Poliomyelitis.														
	6. Sporadic spinal paralysis.														
	7. Spinal sclerosis.														
	8. Myelitis leukemia.														
	9. Myelitis transverse.														
74	Apoplexy (cerebral hemorrhage).														
	4	4			0	1		0	1					4	6
	Cerebral embolism and thrombosis.														
75	Hemiplegia.														
	1	0												1	0
	Cerebral paralysis.														
	Trophic paralysis.														
	Paralysis.														
76	General paralysis of the insane.														
	Dementia paralytica.														
	Dementia, senile.														
	Paresis.														
	Paresis, juvenile.														
77	Dementia, precoc.														
	Toxic psychosis.														
78	Epilepsy.														
	Epileptic convulsions.														
79	Convulsions (nonperal, 5 years and over).														
80	Infantile convulsions (under 5 years of age).														
81	1	2	1	0										1	2
														0	3
														1	4

[illegible]

[illegible]

Total diseases of the digestive system.

[illegible]

151	Gangrene of right foot.....
	Gangrene of right thigh.....
	Gangrene of right leg.....
	Gangrenous stomatitis.....
	Gangrenous scrotum.....
	Senile gangrene.....
152	Carbuncle of gluteal region.....
	Carbuncle of neck.....
153	Abscess multiple throughout body.....
	Abscess of neck.....
	Abscess of thigh.....
	Perianal abscess.....
	Cellulitis of neck.....
	Cellulitis of face.....

[illegible]

[illegible]

TABLE 1C.—Showing deaths in the District of Columbia during the calendar year 1925, arranged with reference to ages of decedents and classified with reference to race, sex, and causes of death.—Continued

Classification No.	5 to 9 years		10 to 19 years		20 to 29 years		30 to 39 years		40 to 49 years		50 to 59 years		60 to 69 years		70 to 79 years		80 to 89 years		90 years and over	
	W. C.		W. C.		W. C.		W. C.		W. C.		W. C.		W. C.		W. C.		W. C.		W. C.	
	M. F.	M. F.	M. F.	M. F.	M. F.	M. F.	M. F.	M. F.	M. F.	M. F.	M. F.	M. F.	M. F.	M. F.	M. F.	M. F.	M. F.	M. F.	M. F.	M. F.
Cause of death																				
SUMMARY																				
I. Epidemic, endemic, and infectious diseases.....	7	9	8	5	8	10	21	22	32	34	53	62	29	22	57	36	43	22	45	27
II. General diseases not included in Class I.....	1	1	1	1	2	1	2	4	11	8	8	4	16	14	8	21	35	47	9	29
III. Diseases of the nervous system and of organs of special sense.....	4	1	2	1	7	2	2	4	8	3	4	8	18	10	14	12	19	12	35	19
IV. Diseases of the circulatory system.....	2	3	1	1	6	9	3	8	8	9	17	11	28	21	41	31	45	23	58	56
V. Diseases of the respiratory system.....	0	1	4	4	5	3	12	5	12	8	10	20	25	7	29	17	25	4	18	31
VI. Diseases of the digestive system.....	8	2	1	0	7	3	4	4	14	2	8	15	12	18	15	10	32	20	15	14
VII. Nonvenereal diseases of the genito-urinary system and annexa.....	0	1	0	1	2	1	1	6	10	7	9	7	10	7	18	21	18	15	20	42
VIII. The puerperal state.....	0	0	3	0	4	0	4	0	20	0	16	0	10	0	11	0	2	0	2	0
IX. Diseases of the skin and cellular tissues.....	1	1	2	0	1	0	0	0	1	0	1	1	3	1	1	0	1	3	1	3
X. Diseases of the bones and the organs of locomotion.....	1	1	1	1	1	0	0	0	1	0	0	0	1	0	0	0	1	0	0	1
XI. Malformations.....	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
XII. Early infancy.....	11	6	6	1	18	6	15	5	23	10	35	15	39	6	22	3	27	13	17	2
XIII. Old age.....	34	24	23	14	56	39	60	62	115	104	143	162	178	118	196	160	247	162	213	201
XIV. External causes.....	36	29	21	32	11	14	23	14	56	39	60	62	115	104	143	162	178	118	196	160
XV. Ill-defined diseases.....	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
Total all causes.....	91	89	184	251	36	29	21	32	11	14	23	14	56	39	60	62	115	104	143	162

TABLE 1c.—Showing deaths in the District of Columbia during the calendar year 1925, arranged with reference to ages of decedents and classified with reference to race, sex, and causes of death.—Continued

Classification No.	Cause of death	5 to 9 years		10 to 19 years		20 to 29 years		30 to 39 years		40 to 49 years		50 to 59 years		60 to 69 years		70 to 79 years		80 to 89 years		90 years and over		
		W.	C.	W.	C.	W.	C.	W.	C.	W.	C.	W.	C.	W.	C.	W.	C.	W.	C.	W.	C.	
		M. F.	M. F.	M. F.	M. F.	M. F.	M. F.	M. F.	M. F.	M. F.	M. F.	M. F.	M. F.	M. F.	M. F.	M. F.	M. F.	M. F.	M. F.	M. F.	M. F.	M. F.
<i>I. Epidemic, endemic, and infectious diseases</i>																						
1	Typhoid and paratyphoid fever:	1	0	0	1	1	2	0	3	1	1	3	0	2	2	2	1	0	1	1	0	0
6	Typhoid fever.....																					
7	Smallpox.....																					
8	Measles.....	0	1	1	0	1	0	1	1	0	1	1	4	1	0	2	3	1	0	1	1	0
9	Scarlet fever.....	0	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
10	Whooping cough.....	6	4	1	2	1	0	1	1	1	0	0	1	1	0	0	1	0	0	1	0	1
11	Diphtheria.....																					
	Influenza:																					
	1. Pneumonia due to grippé.....																					
	2. Influenza pneumonia.....																					
	3. Influenza and grippé.....	0	1																			
	4. Influenza meningitis.....																					
16	Dysentery:																					
	1. Amoebic.....																					
	2. Bacillary.....																					
	3. Due to other causes.....																					
21	Erysipelas.....																					
22	Acute anterior poliomyelitis.....																					
23	Acute posterior poliomyelitis.....																					
24	Lethargic encephalitis.....																					
	Meningococcus meningitis:																					
	1. Epidemic cerebrospinal meningitis.....																					
	2. Acute meningitis.....																					
	3. Meningococcus meningitis.....																					
29	Tetanus.....																					
30	Mycoses:																					
	1. Sporotrichosis.....																					
	2. Thrush.....																					
31	Tuberculosis of the respiratory system: Pulmonary tuberculosis.	0	1	2	2	5	13	17	20	28	39	47	18	11	47	30	30	12	31	15	21	7
	Tuberculosis of the meninges and central nervous system: Tuberculous meningitis.....																					
32		2	0																			
								</														

[illegible]

Cancer and other malignant tumors of the buccal cavity:

II. General diseases not included in Class I

Total epidemic, endemic
and infectious diseases...Pyemla, following erysip-
elas -----

Pyemia, multiple military

Streptococcal infection of the hand

isemia

Kidney -----
tuberculosis disseminated: Mil-

Tuberculous adenitis.....
Scrofula.....

Hip-----
 culosis of other organs:
 Tubercular osteomyelitis

Spine-----
 culosis of the joints:
 Knee

Pott's disease.....
Spondylitis.....

Abdominal
Intestinal
Tuberculosis of the vertebral col-

toneum:
Tuberculous peritonitis...
Tuberculous gastroenteritis

100

107	Other diseases of the respiratory system (tuberculosis excepted):																								
	1. Anthracosis.....																								
	2. Pulmonary abscess.....																								
	Pulmonary hemorrhage.....																								
	Pulmonary toxæmia.....																								
Total diseases of the respiratory system.....																									
108	VI. Diseases of the digestive system																								
	Diseases of the mouth and annexa:																								
	1. Parotitis (not mumps).....																								
	2. Ludwig's angina.....																								
	3. Stomatitis.....																								
109	Diseases of the pharynx and tonsils (including adenoid vegetations):																								
	Pharyngitis.....																								
	Pharyngeal paralysis.....																								
	Retropharyngeal abscess.....																								
	Septic tonsillitis.....																								
111	Tonsillectomy.....																								
	Ulcer of the stomach and duodenum:																								
	1. Gastric ulcer.....																								
	Septic ulcer.....																								
	Ruptured pyloric ulcer.....																								
112	2. Duodenal ulcer.....																								
	Other diseases of the stomach (cancer excepted):																								
	1. Gastritis, acute.....																								
	2. Gastritis, chronic.....																								
	3. Gastric hemorrhage.....																								
116	4. Gastric catarrh, chronic.....																								
	5. Hemorrhage of stomach.....																								
	6. Acute indigestion.....																								
	7. Acute dilatation of stomach.....																								
	8. Gastroenteroptosis.....																								
113	9. Hypertrophic pyloric stenosis.....																								
	Diarrhea and enteritis (under 2 years of age).....																								
	Diarrhea and enteritis (2 years and over).....																								
	Cystic kidney.....																								
	Appendicitis.....																								
117	Ruptured appendix.....																								

[illegible]

[illegible]

[illegible]

[illegible]

TABLE 1c.—Showing deaths in the District of Columbia during the calendar year 1925, arranged with reference to ages of decedents and classified with reference to race, sex, and causes of death—Continued

Classification No.	Cause of death	5 to 9 years		10 to 19 years		20 to 29 years		30 to 39 years		40 to 49 years		50 to 59 years		60 to 69 years		70 to 79 years		80 to 89 years		90 years and over																		
		W. C.		W. C.		W. C.		W. C.		W. C.		W. C.		W. C.		W. C.		W. C.		W. C.																		
		M. F.	M. F.	M. F.	M. F.	M. F.	M. F.	M. F.	M. F.	M. F.	M. F.	M. F.	M. F.	M. F.	M. F.	M. F.	M. F.	M. F.	M. F.	M. F.	M. F.																	
	<i>XIV. External causes—Continued</i>																																					
	Homicide—Continued.																																					
198	Stab wound of neck.....					1	0																															
	Stab wound of spinal cord.....											1	0																									
	Stab wound of stomach.....					2	0	0	1																													
199	Incised wound of abdomen.....					0	1																															
	Abortion.....																																					
	Abortion, criminal.....					0	1																															
	Burns of entire body; struck with lighted lamp.....																																					
	Cerebral hemorrhage, traumatic.....							1	1																													
	Crushed skull.....							0	1																													
	Fracture cervical vertebrae.....					1	0			3	1	0		1	0																							
	Inhalation of illuminating gas.....					0	1																															
201	Fracture, cause not specified:			0	1																																	
	1. Neck of femur.....																		0	1																		
	2. Skull.....																		0	1																		
	3. Skull.....								0	1																												
202	Other external violence:																																					
	1. Accidentally struck head against door.....												1	0																								
	2. Accidental homicide, gunshot wound.....					1	0	0	1																													
	3. Septic arthritis, knee joint.....											1	0																									
	4. Septic poisoning, wound of hand.....																		0	1																		
	5. Large button in trachea.....																																					
	6. Traumatic gangrene of arm.....																																					
	7. Hemorrhage, due to fall.....																																					
	8. Fracture wound of bladder, per rectum.....																																					
	9. Hanging (legal execution).....					1	0																															
	Total external causes.....	11	6	1	18	6	15	5	23	10	35	15	39	6	22	3	27	13	17	2	29	11	10	3	28	12	4	3	13	14	2	3	6	8	0	1	0	3

XV. Ill-defined diseases									
Apnea.....	1	0	1	0	1	0	1	0	1
Asphyxia.....	1	0	1	0	1	0	1	0	1
Asthenia.....	1	0	1	0	1	0	1	0	1
Congenital debility.....	1	0	1	0	1	0	1	0	1
Heart failure.....	1	0	1	0	1	0	1	0	1
Malnutrition.....	1	0	1	0	1	0	1	0	1
Narasmus.....	1	0	1	0	1	0	1	0	1
Natural causes.....	1	0	1	0	1	0	1	0	1
Paresis of heart.....	1	0	1	0	1	0	1	0	1
Postoperative shock.....	1	0	1	0	1	0	1	0	1
Meningitis, undetermined type.....	1	0	1	0	1	0	1	0	1
Unknown.....	1	0	1	0	1	0	1	0	1
Total ill-defined diseases.....	1	0	1	0	1	0	1	0	1

[illegible]

[illegible]

[illegible]

Total diseases not included in Class I.

III.—Diseases of the nervous system and of the organs of special sense

[illegible]

[illegible]

TABLE 1D.—Showing deaths in the District of Columbia during the calendar year 1935, arranged with reference to marital relations and to nativity and classified with reference to race, sex, and causes of death—Continued

Classification No.	Cause of death	Marital relations										Nativity									
		Married		Single		Widow or widower		Unknown		District of Columbia		Other parts of the United States		Foreign		Unknown					
		White		Col- ored	White	Col- ored	White	Col- ored	White	Col- ored	White	Col- ored	White	Col- ored	White	Col- ored					
		M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F				
VI. Diseases of the digestive system—Continued																					
122	Cirrhosis of the liver:																				
123	Biliary calculi:																				
124	Other diseases of the liver:																				
125	Pancreatitis:																				
126	Peritonitis (general):																				
Total diseases of the digestive system.																					

VII. Nonvenereal diseases of the Genitourinary system and annexa

VII. Nonvenereal diseases of the Genitourinary system and annexa																																	
128	Nephritis, acute	9	2	14	5	5	4	8	4	2	6	2	10	1	2	4	3	10	7	7	8	14	14	3	0	2	1	1	0				
129	Nephritis, chronic	109	43	41	28	27	10	8	40	71	24	36	10	3	0	3	37	29	13	15	113	88	59	57	28	25	0	1	9	2	3	2	
131	Other diseases of the kidneys and annexa:																																
	1. Hemorrhage of the kidney (due to injection of hydroxide)	0	1																														
	2. Multiple abscess of kidney																																
	3. Pyelitis																																
	4. Pyelonephritis	2	1	0	0	2																											
	5. Pyonephrosis	2	0	1																													
	6. Paroxysmal hemoglobinuria	0	1																														
	7. Renal abscess	0	1																														
	8. Suppression of urine	0	2																														
132	Renal calculi	1	0	1	0																												
133	Cystitis	1	1																														
134	Diseases of the urethra, urinary abscess, etc.:																																
	1. Ruptured bladder	1	0																														
	2. Urethral stricture																																
	3. Perurethral abscess																																
135	Diseases of the prostate:																																
	1. Chronic prostatitis	1	0																														
	2. Enlarged prostate gland	3	0	3	0																												
	3. Hypertrophy prostate	1	0																														
	4. Prostatectomy	1	0																														
136	Phlegmon, scrotum																																
137	Cyst and other benign tumors of the ovary:																																
	1. Malignant ovary cyst	0	3																														
	2. Papilloma of left ovary	0	1																														
138	Salpingitis and pelvic abscess (female):																																
	1. Bilateral salpingitis	0	1	0	4																												
	2. Ovarian abscess																																
	3. Pelvic abscess	0	2																														
	4. Pyosalpinx	0	2																														
	5. Pyosalpingitis	0	1	0	1																												
	6. Tubo-ovarian abscess	0	1																														
139	Benign tumors of the uterus:																																
	1. Fibroma uterus																																
	2. Multinodular fibroma uteri																																
140	Nonpuerperal uterine hemorrhage: Ruptured uterus, idiopathic	0	3	0	2																												
141	Other diseases of the female genital organs:																																
	1. Retroverted uterus																																
	2. Granuloma, inguinal																																
Total nonvenereal diseases of the genito-urinary system and annexa		130	66	62	44	35	39	19	18	44	82	31	51	10	4	1	5	42	42	25	28	130	116	84	86	35	30	0	1	12	3	4	3

[illegible]

